

# LUTEC

CONNECTED BY LIGHTING

LUTEC

ECW Portfolio

OUTDOOR LIGHTING 2023

---

**LUTEC China Head Office**  
CN8, Far-East Industry Park,  
Yuyao, Zhejiang, China  
+86-574-62760832  
info@lutec.net

**LUTEC Europe Regional Office**  
Herentalsebaan 425  
2160 Wommelgem, Belgium  
+32 3 284 51 62  
info@lutec-europe.com

---

**LUTEC in Germany  
Austria - Switzerland**  
**ECO-LIGHT Leuchten GmbH**  
+49 22 22 / 82 78 5-0  
sales@eco-light.biz

**LUTEC in Hungary-Slovenia-Croatia  
Czech-Slovakia**  
**LUTEC Lighting Kft**  
+36 30 897 8494  
Info@lutec.hu

**LUTEC in Ukraine**  
**Eurotrade**  
+38 044 496 74 83  
+38 067 507 02 30  
sales@eurotrade.net.ua

**LUTEC in France**  
Prof & Wholesale channel  
**LUTEC France S.A.S**  
+33 04 75 60 25 68  
commande@lutec-france.fr

**LUTEC in Belgium - The Netherlands**  
**WEBRANDS Benelux**  
+32 3 369 26 16  
info@webrands.eu

**LUTEC in Poland**  
**DELIGHTING Polska**  
+48 61 4367 481  
kontakt@delighting.pl

DIY & Specialist channel  
**COREP SAS**  
+33-05-56 49 96 00  
contact@corep.com

**LUTEC in Italy**  
**Lightec Srl.**  
+39 031 3551342  
info@lightecsrl.com

**LUTEC in Israel**  
**Nisko Group LTD.**  
+972-72-2400636  
info@niskoelec.com

**LUTEC in Iberia**  
Prof & Specialist channel Spain  
**Silumin S.L.**  
+34 93 892 40 51  
silumin@silumin.es

**LUTEC in Greece - Cyprus**  
**Samba - Eliezer**  
+30 2104820946  
info@samba-eliezer.gr

**LUTEC in United States - Canada**  
**LUTEC USA LLC**  
+(704) 980 4135  
shelley.greenberg@lutec.net

Prof & Specialist channel Portugal  
**Duarte Neves LDA**  
+351 219 668 100  
info@duarteneves.pt

**LUTEC in United Kingdom - Ireland**  
**LUTEC UK Ltd**  
+44 (0) 1992 760870  
sales@lutecuk.com

**LUTEC in Iraq**  
**Al-Riyad Group Co. Ltd.**  
+964 782 2222033  
info@alriyad.iq

DIY & Garden channel  
Spain & Portugal  
**BRIGHT and GO S.L.**  
+34 670 85 45 57  
administracion@luteciberia.com

**LUTEC in Denmark - Sweden -  
Norway - Iceland**  
**LOPE Group A/S**  
+45 47 17 82 26  
mail@lopegroup.dk

**LUTEC in South Korea**  
**Belko Co., Ltd**  
+82 2 465 0603  
belko@belko.co.kr

Canary Islands  
**Districan Luz**  
+34 928 791 179  
info@districanluz.com

**LUTEC in Chile**  
**Manufacturas Eléctricas ByP Ltda.**  
+56 228 769 400  
online@byp.cl

---

**China Central Warehouse in  
Yuyao**

**European Central Warehouse  
Bornem- Belgium**

# 2023

## OUTDOOR LIGHTING

European Warehouse Portfolio

# LUTEC

CONNECTED BY LIGHTING

# 23

OUTDOOR LIGHTING

Hello,  
nice to meet you  
we are

LUTECH

CONNECTED BY LIGHTING

one LUTECH,  
one lighting world

We believe outdoor lighting is a unique category with a vast number of specific requirements and challenges. Our aim is to provide creative solutions, innovative designs using quality materials and products.

**At LUTECH we truly focus and comprehensively embrace exterior lighting.**

Our categories include Architectural designs with creative forms of illumination. Functional products, combining tough materials with stylish appeal, Decorative products ranging from period classics to ultra modern shapes. Solar lighting that incorporates the latest trends alongside unique technologies, all to support the ever changing climates around the World.

LUTECH now leads the market in connected exterior lighting : LED Outdoor - LED Solar & LED Camera lights. Featuring products to secure your home and to enhance the appearance of any exterior, flexible mood lighting, colour changing, dimming, scene setting, all controlled via our Apps.

One world, different faces, different segments developed with the same concern of quality and efficiency.

discover what's new

# Looking for special light effects

LUTEC is introducing a number of new contemporary outdoor items, each of them having a specific and distinctive light effect: Narrow light rays or wide beams, Charming glows, Powerful spots. Resulting in an appropriate answer to consumer's actual needs for their outdoor lighting installations.

## A Swiss Army Knife Luminaire




The GOLETA is the hero of the new collection. Elegant wall & ceiling LED light with many options. Eccentric moveable head, Warm White light to Day light switch, Front light, Back Light or both. It's your choice.

## Up & Down Lights Revisited

CYPRES & MARBO designs, showing updated possibilities for Up & Down lighting. Suitable for GU10 retrofit spot lights. The ideal solution to create distinctive light patterns for different applications around your house.

## Extreme Flat Design

RIALTO wall light can be seen as the elegant combination of two GEMINI XF luminaires. Resulting in a wide powerful beam down and the option to choose for 3 different beam patterns up.





## enjoy the solar side of light

LUTEC has a variety of different concepts covering the complete solar energy field. Recently some new attractive Solar outdoor LED lights were launched in the market.

**No electricity consumption - No electric wiring**  
100% green renewable solar energy. Hassle free and super fast installation, avoid a costly electric wiring installation in your garden or around your house.

### Classical lanterns

New in the range are the Solar versions of the well known traditional series FIA & FLAIR. Including a dedicated retrofit LED filament bulb suitable for low voltage Solar light fixtures.

### Charming summer nights

KOZY & DIVA Solar table lights create a gentle and unique light pattern. Excellent to convert your garden table in a cosy family place. All night long!

### Convenient, comfortable & personal

DIAS bollard light with spike is a nice extension in the LUTEC connect Solar range. The perfect model to create and program the desired outdoor atmosphere for every occasion. Enhanced by LUTEC connect dynamic CCT & RGB colour technology.




## retrofit in a modern jacket

LUTEC is continuously extending its offer Outdoor luminaires suitable for retrofit bulbs. This allows consumers to freely decide which LED lamp to install or replace.

**Splendid light - versatile fixtures**  
New introduction of wall lights and bollard lights in different styles and materials featuring E27 & GU10 lamp holders. (Bulbs not included - Except for Solar LED lights)

**Towards Energy Class A**  
With the introduction of the new ERP regulations in September 2021, the bulbs industry is moving fast and steady towards Energy Class A retrofit bulbs for all available models.

**LUTEC connect solution**  
In order to complete your luminaire, LUTEC offers the most common LED retrofit bulbs as a service range. The LUTEC bulbs come with the LUTEC connect feature and are available in E14, E27 & GU10 sockets. Both Filament and RGB bulbs are in the portfolio.



# LUTEC new camera-lights: everything under **control!**

As market initiator, LUTEC is proud to present the 3th generation of the connected camera light range, replacing in full the first 2 generations.

## Brilliant Lights & Superb Recordings

All-round range of decorative and functional camera light fixtures, powered for powerful lighting. High-definition video recording during day time and at night.

## Fast connection and Stable streaming

Thanks to the combination of Bluetooth MESH and WIFI technologies: Quick and convenient start-up process. Secure and solid Audio and Video streaming to your smart phone or tablet, wherever you are.

## Warm Welcome - Safe Home


With the LUTEC connect App, you can control all parameters and adjust all possible settings to assure a personal and comfortable environment for your family and your visitors in and around your home.



+



always **connected**  
with your home





outdoor lighting



connected light



architectural



tradition

our 7 activity segments



security



solar



functional



accessory



CONNECTED  
LIGHT

make your  
outdoor life  
smarter

# CONNECTED LIGHT

## portable



**NOMA**  
8506201331 / P27



**NOMA**  
8506204331 / P27



**PEPPER**  
8500102331 / P29



**CARDI**  
6501702330 / P31



## wall



**CUBA**  
5193810118 / P35



**DROPSI**  
5010901118 / P37



**DROPA**  
5000501118 / P39



**QUBO**  
5193004118 / P41



**KIRA**  
5288909118 / P43



**GEMINI**  
5189120118 / P45



## spike



**MINI LETO**  
6602903424 / P33



## bollard



**DROPA**  
7200501118 / P39



**QUBO**  
7193003118 / P41



**KIRA**  
7288906118 / P43



**MAINS**  
7202201012 / P47



## accessory



**REMOTE CONTROL**  
9702315361 / P361



**ACCESS BOX**  
9704401361 / P362





**DAWNY**  
9760002330 / P365



make your outdoor life smarter

LUTECH  
connect



Control & Adjust your lights from your bedroom to your garden




control your light like magic

LUTECH has a great range of connected lights. You immediately set the mood in and around your home with the magic of coloured light. Once you have connected your lights to your mobile phone, you can play with light like it's a piece of cake.



CCT

adjustable whites



Vary the intensity and white temperatures

By varying the white temperature, you can go from a soft and pleasant warm white for relaxing or enjoying an evening with friends, to a cooler white simulating daylight and providing more powerful lighting.

CCT+RGB

whites & colors




Light in color

You can create a festive atmosphere, transform your terrace into a cozy and pleasant space, enhance your garden decoration or simply choose your favorite scene. A color and mood for any time of day or night.

# the LUTEC connect app

For a full smart lighting experience



CCT settings

RGB settings

Scenes



Voice Control Compatible



With additional Access Box




# the 2 in 1 smart way

For an easy control

## 2 in 1 function

A standard wall switch will allow the luminaire to go from a warm light (2700k) with an additional click to a more intense daylight (4000k).



# the smart remote control


With Double Integrated function

Simplicity is our promise, as nothing beats the convenience of remote control  
Full functionality without Internet access  
No Router & No Wifi required

**Point & Play**  
in the room  
**Infra Red individual control**



**Control every light**  
Inside or outside the house  
**Bluetooth Group control**



# why Bluetooth Mesh ?

## Full scalability towards all your indoor and outdoor living spaces

Bluetooth technology, the global standard for wireless connectivity, now supports mesh networking


Easy & stable connection  
Long range indoor & outdoor  
Connect up to 100 devices



# further on the experience

Add the WiFi LUTEC Connect Access Box to the Bluetooth mesh eco-system.

Allows the connection of the Bluetooth mesh ecosystem with your Wifi router at home





**Hey Google, turn on the light!**



**Alexa, change the light in blue!**



The complete LUTEC Connect lighting portfolio is Voice Control Compatible



Via Cloud access you can control all the devices in your LUTEC Connect lighting network from anywhere out of home.


visit the dedicated website  
to support and inspire  
our consumers in their experience

[www.lutec-connect.world](http://www.lutec-connect.world)







### touch control



### app control



### charging



\* Dimming



Adjustable whites



RGB



Activity lights

- Night
- Reading
- Relaxing
- Party
- Fire
- Ocean
- Forest
- Romance

# noma

## portable

NOMA is a modular, spheric light which can be used at any desired place indoor & outdoor. Create diverse coloured light scenes by means of App, Touch or Remote control. The starter kit comes with 2 light modules and a charger station (incl. USB cable). Multiple extension possible with the NOMA+ additional module.



noma+



additional module

smart lighting technology





White

**8506201331**

**8506204331**

CLASS III  
IP44  
2xLED 2.3W  
1200mAh  
2x3.7V Li-ion battery  
2x150 Lumen  
Synthetics

CLASS III  
IP44  
LED 2.3W  
1200mAh  
3.7V Li-ion battery  
150 Lumen  
Synthetics





\* **Dimming** ☀

**Adjustable whites**

2700 K 6500 K

**RGB**

**Activity lights**

Night  
 Reading  
 Relaxing  
 Party

Fire  
 Ocean  
 Forest  
 Romance

# pepper

## portable

PEPPER is a modern, design award winning portable table lamp which is suitable both indoors and outdoors. It can be positioned, moved as desired and the brightness can be adjusted. The battery is easy to charge via the USB connector and included charging cable. PEPPER invites you to lift it up and take it wherever you want. Take it on a picnic or create cozy lighting in your living room. PEPPER is made of hard plastic and is durable against wind and water.







1	200lm(2700K)	3H
2	200lm(4500K)	3H
3	15lm(2700K)	48H
4		7H
5		OFF






White **8500102331**

CLASS III  
 IP54  
 LED 4.5W  
 2200mAh 3.7V Li-ion battery  
 200 Lumen  
 Synthetics







**\* Dimming**

**Adjustable whites**

2700 K 6500 K

**RGB**

**Activity lights**

Night 
 Reading 
 Relaxing 
 Party

Fire 
 Ocean 
 Forest 
 Romance

# cardi

## portable light

This portable LUTEC Cardi is a very versatile indoor and outdoor lamp. The lamp creates the perfect atmosphere in any space, but it can also be used more functionally. It is weatherproof and dimmable and features 16 million colours to brighten up any spot. Activate even more smart light functions with the access box. Control your lights hands free and use your voice instead of a mobile device!



1	200lm(2700K)	3H
2	200lm(4500K)	3H
3	15lm(2700K)	48H
4		7H
5		OFF


smart lighting technology



Matt Black

**6501702330**

CLASS III  
IP54  
LED 3.3W  
2200mAh 3.7V Li-ion battery  
200 Lumen  
Synthetics





# mini leto

## spike & wall

Give your garden extra atmosphere with this MINI LETO outdoor garden lighting. The integrated connected LED module will not only feature warm white or bright white light but any color you want. Two way installation possible.




smart lighting technology



Dark Grey

**6602903424**

CLASS II  
IP65  
LED 8W  
400 Lumen  
Die Cast Aluminium



\* Dimming



Adjustable whites



RGB



Activity lights



Night Reading Relaxing Party



Fire Ocean Forest Romance



# cuba

## wall

Rectangular; modern & versatile outdoor wall light with integrated connected LED module suitable for vertical and horizontal mounting. The light head with double diffuser can be rotated over 90°. Also available with motion sensor.





smart lighting technology



Dark Grey

5193810118

CLASS I  
IP54  
LED 15W  
1000 Lumen  
Die Cast Aluminium



\* Dimming



Adjustable whites

2700 K 6500 K





# dropsi

wall

Make your garden an inviting place with this contemporary DROPSI wall lamp. The movable spotlight head consists of a double diffuser that will accentuate your outdoor space and, in combination with the connected LED module, will create a very nice immersive effect.



smart lighting technology




Dark Grey

5010901118

CLASS I  
IP44  
LED 9.5W  
690 Lumen  
Die Cast Aluminium



115



\* Dimming



Adjustable whites

2700 K 6500 K



RGB

Activity lights



Night Reading Relaxing Party



Fire Ocean Forest Romance



# dropa

## wall & bollard

The DROPA outdoor wall & bollard light in anthracite grey with integrated connected LED module is made of durable aluminium. The design consists of a double diffuser, one transparent and one opal, that will diffuse in a 360° radius for optimal illumination of paths and other outdoor areas.




smart lighting technology



Dark Grey

**5000501118**

CLASS II  
IP44  
LED 9.5W  
500 Lumen  
Die Cast Aluminium



**7200501118**

CLASS I  
IP44  
LED 9.5W  
500 Lumen  
Die Cast Aluminium



\* Dimming



Adjustable whites




RGB



Activity lights



Night Reading Relaxing Party



Fire Ocean Forest Romance



► “Also available in non connected version” see page 95/97

\* **Dimming**

**Adjustable whites**

2700 K 6500 K

**RGB**

**Activity lights**

Night  
 Reading  
 Relaxing  
 Party

Fire  
 Ocean  
 Forest  
 Romance



# qubo

wall & bollard

QUBO dark grey wall & bollard light diffuse a stunning homogenous connected light. Ideal for general lighting in your garden or terrace.




smart lighting technology



Dark Grey


**5193004118**


CLASS I  
IP54  
LED 16W  
1000 Lumen  
Die Cast Aluminium



**7193003118**

CLASS I  
IP54  
LED 16W  
1000Lumen  
Die Cast Aluminium





# kira

## wall & bollard

The KIRA outdoor connected LED wall & bollard light featuring a bended and frameless diffusor. Distributes a homogenous white light to illuminate walls, pathways and other open spaces around your home.




smart lighting technology



Dark Grey


**5288909118**

CLASS I  
IP54  
LED 19W  
1200 Lumen  
Die Cast Aluminium



**7288906118**

CLASS I  
IP54  
LED 19W  
1200 Lumen  
Die Cast Aluminium




► "Also available in non connected version" see page 91



# gemini

## Wall Up & Down

Minimalistic die-cast wall light with a light output of 900 lumen, the light beam will cover the full surface in the two directions. This elegant 'brick' light in dark grey ensures a perfect light beam thanks to the connected LED module.




smart lighting technology



Dark Grey

**5189120118**

CLASS I  
IP54  
LED 17W  
900 Lumen  
Die Cast Aluminium



► "Also available in non connected version" see page 141

\* **Dimming**

**Adjustable whites**

2700 K 6500 K

**RGB**

**Activity lights**

Night  
 Reading  
 Relaxing  
 Party

Fire  
 Ocean  
 Forest  
 Romance







# mains

## bollard

The MAINS bollard socket light, with integrated Cloud access box, facilitates away-from-home control for all the devices in your LUTEC connect network. Convenient full control with the LUTEC connect App including Timer function. Or basic touch control with light on/off button. Comes with two side-earth sockets. Total power supply up to 3500W.



smart lighting technology




Matt Black

**7202201012**

CLASS I  
IP44  
LED 11W  
750 Lumen  
16A - Max. 3500W  
Die Cast Aluminium



### touch control




Light on/off

### app control



### timer function



ARCHITECTURAL

light up  
your garden  
in style

# ARCHITECTURAL

wall



**CONROY**  
5197001118 / P57



**CUBA**  
5193811118 / P59



**CUBA**  
5193801118 / P61



**CUBA**  
5193801012 / P61



**CUBA**  
5193808118 / P61




**CUBA**  
5193803118 / P65



**CUBA**  
5193803012 / P65



**CUBA**  
5193814118 / P65



**FELE**  
5196301118 / P69



**EKLIPS**  
5199001118 / P71



**CYRA**  
5198101118 / P73



**CYRA**  
5198102118 / P73



**TRUMPET**  
5626001118 / P75



**TRUMPET**  
5626101125 / P75



**EXPLORER**  
6609202118 / P77



**PANO**  
5289001118 / P79



**NEW**  
**MOON**  
5206001118 / P81



**POLO**  
5205701118 / P83



**POLO**  
5205702118 / P83



**MERIDIAN**  
5616302118 / P85



**GHOST**  
5188003118 / P87



**APOLLO**  
5188801118 / P89



**KIRA**  
5288902118 / P91



**KIRA**  
5288903118 / P91



**QUBO**  
5195401118 / P93



**NEW**  
**QUBO**  
5195404118 / P93



**QUBO**  
5193001118 / P95



**NEW**  
**QUBO**  
5193013118 / P95



**QUBO**  
5193002118 / P95



**DOBLO**  
5197002125 / P99




**DOBLO**  
5105001125 / P101



**DOBLO**  
5105002125 / P101



**DOBLO**  
5105003125 / P103



**DOBLO**  
5107401125 / P103



**ADALYN**  
5193602118 / P105



**BATI**  
5188601125 / P107



**BATI**  
5188602125 / P107



**NEW**  
**HEROS**  
5288201118 / P111



**NEW**  
**HEROS**  
5288202118 / P111



**BOX CUBE**  
5184601118 / P113




**FULTON**  
5207601012 / P115



**CITY**  
5183601118 / P117



**URBAN**  
5196501118 / P119



**LOTUS**  
5193201118 / P121



**NEW**  
**GRIDY**  
5289401469 / P123



**GEMINI BEAMS**  
5104005118 / P125



**GEMINI BEAMS**  
5104003012 / P125



**GEMINI BEAMS**  
5104003032 / P125



**GEMINI BEAMS**  
5104006012 / P127

# ARCHITECTURAL



**NEW**  
**RIALTO**  
5287901012 / P129



**GEMINI XF**  
5104001118 / P131



**GEMINI XF**  
5104002012 / P131



**GEMINI XF**  
5104004001 / P131



**GEMINI**  
5189114118 / P135




**GEMINI**  
5189125012 / P135



**NEW**  
**GEMINI**  
6389101118 / P137



**NEW**  
**GEMINI**  
6389102012 / P137



**GEMINI**  
5189102118 / P139



**GEMINI**  
5189113118 / P139



**GEMINI**  
5189102032 / P139




**GEMINI**  
5189103118 / P139



**GEMINI**  
5189135118 / P139



**GEMINI**  
5189101118 / P141



**GEMINI**  
5189112118 / P141



**GEMINI**  
5189112012 / P141



**GEMINI**  
5189104118 / P143



**BONN**  
6330401118 / P145



**BONN**  
6330402001 / P145



**MAYA**  
5198302001 / P147



**MAYA**  
5198401001 / P147



**RAN**  
5011701461 / P149



**VIDAR**  
5011602461 / P151



**LEO**  
5192701335 / P153



**LEO**  
5192701330 / P153



**BRUND**  
5206701012 / P155



**NEW**  
**MARBO**  
5288001118 / P157



**NEW**  
**CYPRES**  
6604001118 / P159



**NEW**  
**CYPRES**  
6604002118 / P159



**NEW**  
**CYPRES**  
6604003118 / P161



**RIDGE**  
5107101118 / P163



**FOCUS**  
5604021001 / P165



**FOCUS**  
5604011118 / P167



**FOCUS**  
5604101118 / P167



**NEW**  
**FOCUS**  
5604014118 / P169



**FOCUS**  
5604023118 / P171



**FOCUS**  
5604023012 / P171



**FOCUS**  
5604023112 / P171



**FOCUS**  
5605013118 / P175



**BULLO**  
6383001012 / P177



**HELENA**  
6402105012 / P191



**HELENA**  
6402101118 / P191



**HELENA**  
5191605012 / P193



**HELENA**  
5191601118 / P193



**HELENA**  
5191602118 / P193

# ARCHITECTURAL

## wall & ceiling



**FOCUS**  
6304201118 / P173



**ROLA**  
6382201118 / P179



**ROLA**  
6382201012 / P179



**TITAN**  
6336201118 / P181



**NEW**  
**KAYAH**  
6392202457 / P183



**SWEEP**  
6303401118 / P185



**NEW**  
**GOLETA**  
5205801012 / P187



**SEINE**  
6338201118 / P189



**HELENA**  
5102101118 / P193

## spike



**EXPLORER**  
6609201118 / P77

## bollard



**CONROY**  
7207001118 / P57



**CUBA**  
7193801118 / P63



**CUBA**  
7193803118 / P63



**CUBA**  
7193802118 / P67



**CUBA**  
7193802012 / P67



**CUBA**  
7193805118 / P67



**FELE**  
7196301118 / P69



**PANO**  
7289001118 / P79



**POLO**  
7105701118 / P83



**KIRA**  
7288902118 / P91



**QUBO**  
7193001118 / P97



**QUBO**  
7193004118 / P97



**BATI**  
7188601125 / P109



**NEW**  
**HEROS**  
7288201118 / P111



**FULTON**  
7207601012 / P115



**GEMINI XF**  
7104001118 / P133



**GEMINI XF**  
7104002012 / P133



**NEW**  
**CYPRES**  
6604004118 / P161



**FOCUS**  
7204803118 / P173



**MAINS**  
9702201012 / P197






**MAINS**  
9702202012 / P197



**MAINS**  
9702203012 / P197



**FAST CONNECTION**



# conroy

wall & bollard



What makes the CONROY wall & bollard light very multifunctional is its rotatable light components. You can shine these up or down and play with the light. The lamp comes with an integrated LED, which shines warm white light of 3000K.



Dark Grey



**5107001118**


CLASS I  
IP44  
LED 17.8W  
1300 Lumen  
Die Cast Aluminium



**7207001118**

CLASS I  
IP44  
LED 17.8W  
1300 Lumen  
Die Cast Aluminium






# cuba

## wall



Modern & versatile outdoor wall light with integrated LED module. The light head with double diffuser can be rotated over 90° and is equipped with a motion sensor and powerful lightbeam of more than 1000 lumen.




Dark Grey

**5193811118**

CLASS I  
IP54  
LED 14W  
1000 Lumen  
Die Cast Aluminium





# cuba

## wall

Modern & versatile wall lights suitable for vertical and horizontal mounting. The 2 light heads can be rotated over 350°, resulting in up – down or side light effects. Available with a warm white and daylight white integrated LED module.



reddot design award  
winner 2019






- Matt Black
- Dark Grey

**5193801012**  
**5193801118**

**5193808118**

CLASS I  
IP54  
LED 12.2Wx2  
1000 Lumen  
Die Cast Aluminium


CLASS I  
IP54  
LED 12.2Wx2  
1000 Lumen  
Die Cast Aluminium







reddot design award  
winner 2019



# cuba

## bollard



This modern outdoor bollard is your best friend and companion. With its 75cm the CUBA bollard leads you along the darkest paths. And that's not all, it's available with a warm white and daylight white integrated LED module. Both versions will create an excellent atmosphere.



Dark Grey


**7193801118**

CLASS I  
IP54  
LED 12.2Wx2  
900 Lumen  
Die Cast Aluminium



**7193803118**

CLASS I  
IP54  
LED 12.2Wx2  
900 Lumen  
Die Cast Aluminium





# cuba

## wall

CUBA, design award winning LED light, now available in a one head version with warm light or daylight integrated LED module. Resulting in a compact solution providing the same superb lighting effects and orientation flexibility.



Matt Black


**5193803012**

Dark Grey




**5193803118**

**5193814118**

CLASS I  
IP54  
LED 12.2W  
500 Lumen  
Die Cast Aluminium



CLASS I  
IP54  
LED 12.2W  
500 Lumen  
Die Cast Aluminium





# cuba

## bollard

Our award-winning bollard version of the CUBA features one orientable head. This model is also available with an integrated side earth socket.



Type F socket

Matt Black

**7193802012**


Dark Grey

**7193802118**

**7193805118**


CLASS I  
IP54  
LED 12.2W  
500 Lumen  
Die Cast Aluminium

3000K




CLASS I  
IP54  
LED 12.2W  
500 Lumen  
16A - Max. 3500W  
Die Cast Aluminium

3000K



**Integrated  
Dusk to Dawn  
Sensor**






# Fele

## wall & bollard



Wall & bollard light FELE brings outdoor lighting with an architectural value, including rotatable head. FELE wall light fits perfectly at your front door, the head can give an up or down powerful lightbeam. A combination of technical excellence and tasteful design.



Dark Grey



**5196301118**


CLASS I  
IP54  
LED 13.5W  
1000 Lumen  
Die Cast Aluminium



**7196301118**

CLASS I  
IP54  
LED 13.5W  
1000 Lumen  
Die Cast Aluminium






# eklips


wall


Multi purpose LED Outdoor wall light with two half-moon shape diffusors. You can turn these two lighthoods over an angle of 90°, creating a combination of an Up & Down light, a wall washer or a frontal light effect.



Dark Grey **5199001118**

CLASS I  
IP54  
LED 13W  
1000 Lumen  
Aluminium+Synthetics

 3000K





# cyra

## wall



Tubular wall light with a combination of anthracite grey aluminium body and opal white diffuser. The two moveable heads offer you a 350° rotation possibility resulting in a nice glow on your external wall or a frontal diffuse lightbeam. Comes also in a motion sensor version.



Dark Grey



**5198101118**

CLASS I  
IP54  
LED 16.1W  
950 Lumen  
Die Cast Aluminium



**5198102118**

CLASS I  
IP54  
LED 16.5W  
1000 Lumen  
Die Cast Aluminium






# trumpet

## wall


Accentuate your outdoor places with this powerful LED wall light with moveable spotlight. Now also available in small version with a light output of 600 lumen.



Dark Grey



**5626001118**

CLASS I  
IP54  
LED 10W  
900 Lumen  
Die Cast Aluminium



**5626101125**

CLASS I  
IP54  
LED 6.7W  
600 Lumen  
Aluminium+Synthetics





# explorer

wall & spike


Elegant and compact spotlight orientable horizontally and vertically, featuring a warm white LED light beam. The separate spot-cap can be used to direct the light beam to avoid any glare. Available in wall version and spike version with wire and plug.



Dark Grey


**6609202118**

CLASS I  
IP54  
LED 5.9W  
380 Lumen  
Die Cast Aluminium  
▶  
3000K



**6609201118**

CLASS I  
IP54  
LED 5.9W  
380 Lumen  
Die Cast Aluminium  
▶  
3000K








# pano

## wall & bollard



An elegant LED Outdoor wall & Bollard light with an ultra flat, frameless diffuser. Comes with an integrated adjustable colour switch. You can tune the light colour from warm white to cool white in a very convenient way.



Dark Grey



**5289001118**

CLASS I  
IP54  
LED 17.5W  
1300 Lumen  
Die Cast Aluminium



**7289001118**

CLASS I  
IP54  
LED 17.5W  
1300 Lumen  
Die Cast Aluminium






# moon

## wall

Elegant LED Outdoor wall light with downlight function. Your frontdoor area or garden wall will light up completely thanks to the powerful light beam. The cylindric white synthetic diffuser creates a nice homogenous daylight or warm white light. Convenient control thanks to the manual switch (3000K/4000K).



### FAST CONNECTION




Dark Grey

**5206001118**

CLASS I  
IP44  
LED 11.1W  
1000 Lumen  
Die Cast Aluminium



3000K/4000K





# polo

## wall & bollard

A touch of modern simplicity and an enchanting light for your garden or patio. The POLO wall light & bollard made of aluminum offers a downward-facing, bright beam of warm-white LED light, making it ideal for lighting your outdoor spaces. The wall light model comes also with motion sensor, perfectly integrated in the luminaire base.




Dark Grey

**5205701118**

CLASS I  
IP54  
LED 15W  
1100 Lumen  
Die Cast Aluminium



3000K







**5205702118**


CLASS I  
IP54  
LED 16.1W  
1100 Lumen  
Die Cast Aluminium



3000K



### FAST CONNECTION





# meridian

## wall

Elegant combination of anthracite grey aluminium body and opal white polycarbonate diffuser. Small sized wall light gives a strong diffused light and a design statement in your garden.



Dark Grey


**5616302118**

CLASS I  
IP54  
LED 16W  
1100 Lumen  
Die Cast Aluminium



3000K





# ghost

wall


Very sleek oval design which discretely gives an indirect light, resulting in a distinctive beam pattern.



Dark Grey

**5188003118**

CLASS I  
IP54  
LED 7.5W  
360 Lumen  
Die Cast Aluminium





# apollo

wall

Wall light with an optimal light combination. The narrow light beam shows a visually striking effect and the front diffuser radiates a homogeneous warm white LED light without any shadow. Ideal companion next to your front door.




Dark Grey

**5188801118**

CLASS I  
IP54  
LED 14W  
800 Lumen  
Die Cast Aluminium



3000K





# kira

## wall & bollard


The KIRA outdoor LED wall & bollard light featuring a bended and frameless diffuser, distributes a homogenous white light (4000K) to illuminate walls, pathways and other open spaces around your home.



Dark Grey




**5288902118**

CLASS I  
IP54  
LED 17.3W  
1100 Lumen  
Die Cast Aluminium





**5288903118**

CLASS I  
IP54  
LED 18W  
1100 Lumen  
Die Cast Aluminium



**7288902118**

CLASS I  
IP54  
LED 17.3W  
1100 Lumen  
Die Cast Aluminium



► "Also available in LUTEC<sup>connect</sup> version" see page 43





# qubo

## wall



Modern small outdoor wall light creating a stunning atmosphere while making an architectural statement ideal for general lighting in your garden or on your terrace.



Dark Grey



**5195401118**

CLASS I  
IP54  
LED 9.5W  
650 Lumen  
Die Cast Aluminium



**5195404118**

CLASS I  
IP54  
LED 9.5W  
850 Lumen  
Die Cast Aluminium








# qubo

wall

Wall light creating a stunning atmosphere while making an architectural statement. Ideal for general lighting around your house, in your garden or on your terrace. Also available with fully adjustable PIR motion sensor.





► "Also available in LUTEC connect version" see page 41



Dark Grey



**519300118**

CLASS I  
IP54  
LED 17.3W  
1100 Lumen  
Die Cast Aluminium





**5193013118**

CLASS I  
IP54  
LED 17.3W  
1300 Lumen  
Die Cast Aluminium



**5193002118**

CLASS I  
IP54  
LED 14W  
800 Lumen  
Die Cast Aluminium





# qubo

## bollard

QUBO dark grey bollard diffuse a stunning homogenous light. Ideal for general lighting in your garden or terrace. This model is now also available with integrated PIR motion sensor





Dark Grey



**7193001118**

**7193004118**

CLASS I  
IP54  
LED 17.3W  
1100 Lumen  
Die Cast Aluminium



CLASS I  
IP54  
LED 17W  
1000 Lumen  
Die Cast Aluminium





# doblo

wall


This LED wall light in anthracite grey sits in a cubic holder made of durable die cast aluminium. The elegant design catches the eye and radiates powerful rays of warm white light that illuminate the wall.




Dark Grey

**5197002125**

CLASS I  
IP54  
LED 14.5W  
1100 Lumen  
Die Cast Aluminium



3000K





# doblo

## wall



This medium square DOBLO is available with 2 different kelvins, a warm white and a daylight white light. Both are anthracite grey wall lights and sit in a cubic holder made of durable die cast aluminium.



Dark Grey


**5105001125**

CLASS I  
IP54  
LED 19.1W  
1500 Lumen  
Die Cast Aluminium



**5105002125**

CLASS I  
IP54  
LED 19.1W  
1500 Lumen  
Die Cast Aluminium





# doblo

## wall

The DOBLO flat models, beside the square version, now also available in a long version suitable for horizontal or vertical mounting. The elegant design radiates a powerful cool white light of 2200 lumen.





### FAST CONNECTION



Dark Grey


**5105003125**

CLASS I  
IP54  
LED 19.1W  
1500 Lumen  
Die Cast Aluminium



**5107401125**

CLASS I  
IP54  
LED 34W  
2200 Lumen  
Die Cast Aluminium





# adalyn

wall



This compact wall light will turn your garden into an intimate place and welcomes you at home. Smooth radiation of warm white LED light.



Dark Grey

**5193602118**

CLASS I  
IP44  
LED 10.2W  
600 Lumen  
Die Cast Aluminium






# bati

## wall


Modern & stylish wall light with integrated LED light and optional PIR sensor. Ideal for your front door or garden walls.



Dark Grey


**5188601125**

CLASS I  
IP44  
LED 13W  
1100 Lumen  
Die Cast Aluminium



**5188602125**

CLASS I  
IP44  
LED 15W  
1100 Lumen  
Die Cast Aluminium





# bati

## bollard


Modern and stylish bollard with integrated LED light source. Ideal for your driveway or garden path in a multiple installation .



Dark Grey

**7188601125**

CLASS I  
IP44  
LED 13W  
1100 Lumen  
Die Cast Aluminium







# heros

## wall & bollard

HEROS the evergreen cylindrical LED Outdoor Light. Robust yet subtle, thanks to the double transparent and white ribbed polycarbonate diffuser. The HEROS family consists of a wall light, a wall light with a perfectly integrated PIR sensor and a bollard with a convenient 360° light beam. Suitable for E27 retrofit bulbs, not included.



Dark Grey

**528820118**




CLASS I  
IP44  
E27 LED Max.15W  
Die Cast Aluminium

**528820218**



CLASS I  
IP44  
E27 LED Max.15W  
Die Cast Aluminium

**728820118**

CLASS I  
IP44  
E27 LED Max.15W  
Die Cast Aluminium





### FAST CONNECTION





#### FAST CONNECTION



# box cube

## wall


Striking form fits in all your contemporary garden spaces. The opal impact proof diffuser offers the perfect homogeneous light without any shadows. Elegant construction with no screws on the surface. The E27 Edison fitting is suitable for all kind of retrofit bulbs.



Dark Grey

**5184601118**

CLASS I  
IP44  
E27 Max.60W  
Die Cast Aluminium






# Fulton

wall & bollard

An evergreen concept catches the eye. FULTON wall & bollard series with retrofit solution feel right at home in your garden. The robust design with multiple bars attracts the attention in any outdoor space.




### FAST CONNECTION



**Matt Black**


**5207601012**

CLASS I  
IP54  
E27 Max.40W  
Die Cast Aluminium



**7207601012**

CLASS I  
IP54  
E27 Max.40W  
Die Cast Aluminium





# city

---

## wall


Large size and robust wall light, fit to lighten large areas both in public or private places. The impact proof polycarbonate diffuser in combination with the sturdy die cast aluminum frame will make this fixture destruction proof.



Dark Grey

**5183601118**

CLASS I  
IP44  
E27 Max.60W  
Die Cast Aluminium





# urban

## wall


GU10 retrofit LED Outdoor dark grey wall light, suitable for the newest smart bulbs. The invisible lightbulb creates a subtle light effect on your external walls.



Dark Grey

**5196501118**

CLASS II  
IP54  
GU10 LED Max.7W  
Die Cast Aluminium






# lotus

## wall


Captivating design with a beautiful up & down light effect. This elegant wall light is the perfect addition to your entry door.




Dark Grey

**5193201118**

CLASS I  
IP54  
LED 11W  
500 Lumen  
Die Cast Aluminium

  
3000K





# gridy

## wall


Compact LED Outdoor wall light with grill design. Can be used in horizontal and vertical position. Ideal to create lovely patterns on garden walls in double or triple installation. Comes in the actual colour: mat white






White

**5289401469**

CLASS I  
IP54  
LED 14.5W  
700 Lumen  
Die Cast Aluminium

  
3000K






# gemini beams

wall

The GEMINI BEAMS Up & Down wall light comes with a new adjustable light beams option. The built-in mechanical ring with diaphragms can be adjusted to 4 different patterns. These will create beautiful light patterns on your exterior walls. Now also available in white.

**BLACK edition**  
warm white light



**Matt Black**

**5104003012**




**White**

**5104003032**




**Dark Grey**

**5104005118**

CLASS I  
IP54  
LED 10W  
400 Lumen  
Die Cast Aluminium



CLASS I  
IP54  
LED 10W  
400 Lumen  
Die Cast Aluminium







# gemini beams

wall

The GEMINI BEAMS Up & Down wall light comes with a new adjustable light beams option. The built-in mechanical ring with diaphragms can be adjusted to 4 different patterns. These will create beautiful light patterns on your exterior walls. New in the range is the matt black rounded version.






Matt Black

5104006012

CLASS I  
IP54  
LED 10W  
400 Lumen  
Die Cast Aluminium



3000K





# rialto

wall



RIALTO, LED Outdoor Up & Down light can be seen as the elegant combination of two extra flat square forms. The light up is adjustable to 3 different patterns, thanks to the mechanical built-in ring with diaphragms.






Matt Black

5287901012

CLASS I  
IP44  
LED 14.8W  
850 Lumen  
Die Cast Aluminium



### FAST CONNECTION





# gemini xf



wall

New member of the GEMINI family is the GEMINI XF, this extra Flat downlight version is very convenient for single or multiple installation. A powerful, white LED light of 800 lumens is emitted by this compact and flat wall light. Available in 3 different versions.





Dark Grey **510400118** Matt Black **510400212** S/S **510400401**


CLASS I  
IP54  
LED 9.5W  
750 Lumen  
Die Cast Aluminium



CLASS I  
IP54  
LED 9.5W  
750 Lumen  
Die Cast Aluminium



CLASS I  
IP54  
LED 9.5W  
750 Lumen  
Stainless Steel





# gemini xf

bollard

The bollard GEMINI XF is perfect to install along you garden paths as there is no sky pollution thanks to the one direction powerful light beam. XF stands for "EXTRA FLAT"



Dark Grey

7104001118

Matt Black


7104002012

CLASS I  
IP54  
LED 9.5W  
750 Lumen  
Die Cast Aluminium



4000K

~92




CLASS I  
IP54  
LED 9.5W  
750 Lumen  
Die Cast Aluminium



3000K

~92





# gemini

wall

A small square version is new in our offer. Inside this mini cube a strong LED light engine (850 lumen) radiates a perfectly symmetrical up & down beam.



Dark Grey

**5189114118**


Matt Black

**5189125012**

CLASS I  
IP54  
LED 9W  
850 Lumen  
Die Cast Aluminium




4000K



CLASS I  
IP54  
LED 9W  
850 Lumen  
Die Cast Aluminium



3000K





# gemini

## ceiling

The GEMINI ceiling has a minimalistic design, the elegant brick light radiates a perfect light beam. This small ceiling version is available in 2 different colors and with 2 different kelvins, a warm white and a daylight white light.





Dark Grey

**6389101118**


Matt Black

**6389102012**



### FAST CONNECTION



CLASS I  
IP65  
LED 7W  
750 Lumen  
Die Cast Aluminium



CLASS I  
IP65  
LED 7W  
750 Lumen  
Die Cast Aluminium






# gemini

## wall

Minimalistic design but great light output. This elegant "brick" light in die-cast aluminum radiates a perfect bi-directional beam. Next to the actual finishes: dark grey, white and stainless steel, we introduce now a brand new version in an imitation wood look.






- Wood Look
- Dark Grey
- White
- S/S



- 5189135118**
- 5189102118**
- 5189102032**
- 5189103118**

**5189113118**

CLASS I  
IP54  
LED 10.5W  
700 Lumen  
Die Cast Aluminium




CLASS I  
IP54  
LED 10.5W  
700 Lumen  
Die Cast Aluminium






► "Also available in LUTEC connect version" see page 45



# gemini

## wall

The medium version is very convenient for an installation on larger external wall or entrances. Thanks to the light output of 1230 lumen the light beam will cover the full surface in two directions. Available in warm white (3000K) and in daylight (4000K) execution.




Matt Black

Dark Grey

**5189101118**



CLASS I  
IP54  
LED 21W  
1230 Lumen  
Die Cast Aluminium




**5189112012**

**5189112118**

CLASS I  
IP54  
LED 21W  
1230 Lumen  
Die Cast Aluminium








# gemini

## wall



The large version in this family is very convenient for an installation at a certain height for larger external walls or entrances. Thanks to a light output of more than 3000 lumen, the light beam will cover the full surface in two directions.



Dark Grey

**5189104118**

CLASS I  
IP54  
LED 46W  
3300 Lumen  
Die Cast Aluminium







# bonn

## wall

This elegant anthracite or stainless steel wall light fits in perfectly with your contemporary outdoor surrounding. It creates a perfect bi-directional light effect on your walls. The small vertical window in the front adds to the character. The traditional E27 fitting is suitable for energy saving bulbs but also for the latest LED retro-fit bulbs.



Dark Grey



**6330401118**

S/S

**6330402001**

CLASS I  
IP54  
E27 Max.60W  
Die Cast Aluminium

CLASS II  
IP44  
E27 Max.40W  
Stainless Steel





# maya

## wall



This small Up & Down wall light in Aluminium with stainless steel cover has a timeless design and is slim and efficient. Rectangular version comes with motion sensor.



S/S




### 5198302001

CLASS I  
IP44  
LED 14.5W  
1000 Lumen  
Stainless Steel



### 5198401001

CLASS I  
IP44  
LED 18.5W  
1200 Lumen  
Stainless Steel








# ran

## wall

RAN is an Extreme Climate Proof wall light with a hot galvanized body, perfectly suitable for installation at coastal areas. They come with a 15 years anti-corrosion guaranty. Offering a unique lighting experience from top, bottom and front view. Retrofit 2xGU10 solution, bulbs are not included.



### FAST CONNECTION



TREATMENT AGAINST CORROSION


YEAR **15** WARRANTY

[www.lutec.com/warranty](http://www.lutec.com/warranty)

Galvanised

**5011701461**

CLASS II  
IP54  
GU10 Max.2\*35W  
Metal








# vidar

## wall

VIDAR is an Extreme Climate Proof square wall light with a hot galvanized body, perfectly suitable for installation at coastal areas. They come with a 15 years anti-corrosion guaranty. Offering a unique lighting experience from top, bottom and front view. Retrofit E27 solution, bulb is not included.




### FAST CONNECTION



Galvanised

**5011602461**

CLASS II  
IP54  
E27 Max.40W  
Metal





# leo

## wall


Magical wall light. Features a strong light beam up & down and a vertical light-strip in the front. The effect will be amplified in a multiple arrangement.




**Matt Black** 5192701330

**Dark Grey** 5192701335

CLASS I  
IP54  
LED 14.5W  
750 Lumen  
Die Cast Aluminium





3000K





#### FAST CONNECTION



# brund

## wall

BRUND is a modern Up & Down wall light. The double asymmetric conic form stands for a tasteful addition to your garden or home. It comes with a double GU10 fitting, bulbs are not included.



**Matt Black**

**5206701012**

CLASS I  
IP44  
GU10 LED Max.2\*15W  
Die Cast Aluminium





# marbo

wall



Up & Down LED light revisited, MARBO shows an updated and fresh design, combining round and square geometric elements. Suitable for GU10 retrofit spot lights. The ideal solution to create distinctive light patterns around your house.




Dark Grey

**5288001118**

CLASS I  
IP44  
GU10 LED Max.2\*15W  
Die Cast Aluminium



**FAST CONNECTION**







# cypres

## wall

CYPRES designs showing updated possibilities for Up & Down LED lighting. Thanks to the adjustable heads, you can create distinctive and perfectly positioned light patterns on the outdoor walls of your house. Suitable for GU10 retrofit spot lights, not included.



Dark Grey

**6604001118**





CLASS I  
IP44  
GU10 LED Max.7W  
Die Cast Aluminium


**6604002118**

CLASS I  
IP44  
GU10 LED Max.2\*7W  
Die Cast Aluminium



### FAST CONNECTION






# cypres

wall & bollard


CYPRES designs showing updated possibilities for Down LED lighting. Thanks to the adjustable double heads, the wall and bollard model will create distinctive and perfectly positioned light patterns on the outdoor walls and pathways around your house. Suitable for GU10 retrofit spot lights, not included.



Dark Grey


**6604003118**


CLASS I  
IP44  
GU10 LED Max.2\*7W  
Die Cast Aluminium



**6604004118**

CLASS I  
IP44  
GU10 LED Max.2\*7W  
Die Cast Aluminium





# ridge

## wall


The RIDGE is a dark grey wall lamp with Up & Down light made of aluminum. The lamp is finished with opal diffusers which give a nice spread of light. The modern design is a tasteful addition to your garden or home. This lamp has two GU10 fittings.




Dark Grey

**5107101118**

CLASS I  
IP54  
GU10 Max.2\*25W  
Die Cast Aluminium



**FAST CONNECTION**





# Focus

wall


Round shapes in premium stainless steel showing a soft & shiny appearance. The correct position of the GU10 bulb will guarantee the perfect light pattern for this wall washer.



S/S

**5604021001**

CLASS I  
IP44  
GU10 Max.2\*35W  
Stainless Steel





# Focus

wall

Heavy duty die-cast aluminum versions available in anthracite color in combination with clear glass diffusers, giving a robust construction and a perfect light radiation both functional as decorative.





Dark Grey


**5604011118**

CLASS I  
IP44  
GU10 Max.2\*35W  
Die Cast Aluminium

**5604101118**

CLASS I  
IP44  
GU10 Max.35W  
Die Cast Aluminium





# Focus

## wall



Evergreen FOCUS design, Up & Down Outdoor LED wall light, now also available with movement detection. The black and compact PIR sensor is perfectly integrated in the housing. Time and Twilight setting manually adjustable.




Dark Grey

**5604014118**

CLASS I  
IP44  
GU10 LED Max.2\*7W  
Die Cast Aluminium



### FAST CONNECTION





# Focus

## wall

FOCUS, Up & Down wall light, comes now in a Dusk to Dawn execution. The D2D sensor is perfectly integrated in the evergreen and original LUTEC design.




**Matt Black** 5604023012



**Silver Grey** 5604023112

**Dark Grey** 5604023118

CLASS I  
IP44  
GU10 Max.2\*35W  
Die Cast Aluminium



**Integrated  
Dusk to Dawn  
Sensor**





# Focus

ceiling & bollard

Cylindrical versions with the very typical single or double horizontal light glow. This range is equipped with a traditional GU10 fitting and are suitable for retrofit LED bulbs.





Dark Grey

**630420118**

CLASS I  
IP44  
GU10 Max.35W  
Die Cast Aluminium

**7204803118**

CLASS I  
IP44  
GU10 Max.35W  
Die Cast Aluminium








# Focus

wall



Square execution in die-cast aluminum, with an integrated LED engine comes in a downlight version and in an up & down light version.



Dark Grey

**5605013118**

CLASS I  
IP44  
LED 8.3W  
500 Lumen  
Die Cast Aluminium





# bullo

wall

LED Outdoor aluminium wall & ceiling light, in a modern interpretation of the classic bullseye design. Radiates a homogenous and strong warm white light.




Dark Grey

**6383001118**

CLASS I  
IP54  
LED 14.5W  
1100 Lumen  
Die Cast Aluminium



3000K





# rola



## wall & ceiling


The round ROLA outdoor wall lamp in dark grey and mat black colour with integrated LED and warm white light has a decorative frame in aluminum. An elegant wall & ceiling decoration that illuminates your outdoor spaces.



**Matt Black** 6382201012

**Dark Grey** 6382201118

CLASS I  
 IP54  
 LED 13W  
 800 Lumen  
 Die Cast Aluminium  
  
  
 3000K





# titan

wall & ceiling



Medium sized wall & ceiling light with a decorative aluminium cover creating the desired effect for the location. With traditional Edison fitting, it is suitable for energy saving bulbs, up to 60W. Easy installation with a standard loop in loop out wiring option.



Dark Grey

**6336201118**

CLASS I  
IP54  
E27 Max.60W  
Die Cast Aluminium





# kayah

wall & ceiling

Medium sized wall & ceiling LED light with an robust aluminium ring. The opal impact proof polycarbonate diffuser creates an homogenous yet super powerful warm white light. Perfect for corridors with a higher ceiling.




Dark Grey

**6392202457**


CLASS I  
IP54  
LED 16.5W  
1250 Lumen  
Die Cast Aluminium



3000K



**FAST  
CONNECTION**





# sweep

wall & ceiling


The SWEEP LED outdoor ceiling light with its powerful LEDs provides absolutely reliable, energy-efficient and glare-free lighting for outdoor applications. With its modern and simple design, it hardly stands out, but provides safe lighting in the evening and at night. Armed with an integrated manual switch to select the desired colour temperature. Warm White or Cool White.




Dark Grey

**6303401118**

CLASS I  
IP54  
LED 23.5W  
1600 Lumen  
Die Cast Aluminium

 3000K/4000K





3000K



4000K



**FAST CONNECTION**






# goleta

wall & ceiling


GOLETA LED Outdoor Ceiling light combines a flat and contemporary design with a number of convenient options. Integrated manual switch to select Warm White or Cool White light. Powerful and homogenous light glow in the front and subtle light glow on the back. Separately controllable with the standard room switch.




Dark Grey




**5205801012**

CLASS I  
IP44  
LED 24.3W  
1700 Lumen  
Die Cast Aluminium

 3000K/4000K



**FAST CONNECTION**





# seine

## wall & ceiling



Robust heavy duty die-cast aluminium fixture. This large model with two traditional E27 fittings, is suitable for different kind of retrofit bulbs offering a very powerful light output. The soft glowing light effect to the back creates a "floating" impression. Ideal for creating a safe atmosphere around your home at night.



Dark Grey

**6338201118**

CLASS I  
IP54  
E27 2\*20W CFL  
Die Cast Aluminium







# helena

## wall

Small orientation wall light with opal diffuser is very convenient for a built-on installation. Thickness of the luminaire is only 31mm. No more hassle to make a hole in your garden wall. Available in 2 different combinations: matt black /3000K and dark grey/4000K.



Matt Black

**6402105012**

Dark Grey

**6402101118**

CLASS I  
IP54  
LED 4.5W  
200 Lumen  
Die Cast Aluminium





3000K

CLASS I  
IP54  
LED 4.5W  
200 Lumen  
Die Cast Aluminium



4000K





# helena

wall & ceiling

The outdoor Helena LED wall and ceiling light sits in a large and elegant die cast aluminum frame. This extra slim design will illuminate your outdoor space and give a strong & homogeneous light output. Can be combined with HELENA rectangular & square wall lights.




Dark Grey

**5102101118**

CLASS I  
IP54  
LED 21.5W  
1500 Lumen  
Die Cast Aluminium



4000K





# helena

## wall

Orientation wall light with opal diffuser or directed down light. Very convenient built-on installation. Thickness of the luminaire is not more than 30mm. No more hassle to make a hole in your garden walls.



**Matt Black**


**5191605012**

**Dark Grey**

**5191601118**

**5191602118**




CLASS I  
IP54  
LED 11W  
450 Lumen  
Die Cast Aluminium



CLASS I  
IP54  
LED 11W  
450 Lumen  
Die Cast Aluminium




CLASS I  
IP54  
LED 11W  
450 Lumen  
Die Cast Aluminium





# mains


These dark grey outdoor power supply sockets in die cast aluminium are very easy to install and provide your entire garden with energy, so you can enjoy your outdoor space. Comes with side earth or pin earth version. Total power supply up to 3500W. Small bollard with one socket with side earth



**Matt Black**

**9702201012**


CLASS I  
IP54  
16A - Max.3500W  
Die Cast Aluminium



Type F socket

**9702202012**


CLASS I  
IP54  
16A - Max.3500W  
Die Cast Aluminium



Type E socket

**9702203012**

CLASS I  
IP54  
16A - Max.3500W  
Die Cast Aluminium



Type F socket

TRADITION

there's a  
new tradition

# TRADITION

## wall



**SHIVA**  
5206501012 / P203



**ZAGO**  
5294502012 / P205



**FIA**  
5290903012 / P207



**WEST**  
5207901012 / P209



**PINE**  
5296602012 / P211



**FLAIR**  
5288801012 / P213



**FLAIR**  
5288802012 / P213



**FLAIR**  
5288814012 / P215



**FLAIR**  
5288803012 / P215



**FLAIR**  
5288804012 / P215



**KELSEY**  
5273701012 / P219



**KELSEY**  
5273702012 / P219



**KELSEY**  
5273601012 / P219



**KELSEY**  
5273603012 / P219



**CATE**  
5264201213 / P225

## bollard



**FIA**  
7290901012 / P207



**PINE**  
7196601012 / P211



**KELSEY**  
7273604012 / P221



**FLAIR**  
7288801012 / P217



**KELSEY**  
7273605012 / P223



**CATE**  
7264210213 / P225



**FIA**  
7290903012 / P207



**PINE**  
7196603012 / P211



**KELSEY**  
7273606012 / P223



**CATE**  
7264230213 / P225

## portable



**FLAIR**  
6588801012 / P217

## pendant



**KELSEY**  
6273601012 / P221



# shiva

wall

Elegant, stylish and yet contemporary. SHIVA is a wall light for outdoor spaces. Its rustic form with reference to the classical lantern goes hand in hand with a modern finish and a characteristic artisanal touch. Clear transparent glass.



suitable for smartbulb



Matt Black

**5206501012**

CLASS I  
IP44  
E27 Max.40W  
Die Cast Aluminium





# zago

## wall

Inspired by the old-fashioned carriage lamp model, this ZAGO outdoor lamp will create a warm and atmospheric atmosphere in your garden. Thanks to the black coating of the frame, it can handle any weather. Clear transparent glass.

suitable for smartbulb





**Matt Black**

**5294502012**

CLASS I  
IP44  
E27 Max.40W  
Die Cast Aluminium

9705516000  
9705517000  
spare glass

**FAST  
CONNECTION**







# Fia

wall & bollard

This classic lamp with a rustic shape and clear glass gives a refined touch to your outdoor spaces. Ideal in combination with newest "filament" retrofit E27 LED bulbs. The new small bollard and big 3-light lantern post makes the FIA family complete.


suitable for smartbulb



Matt Black

**5290903012**

CLASS I  
IP44  
E27 Max.40W  
Die Cast Aluminium




**7290901012**

CLASS I  
IP44  
E27 Max.40W  
Die Cast Aluminium



**7290903012**

CLASS I  
IP44  
3\*E27 Max.40W  
Die Cast Aluminium





# west

## wall

WEST is a wall down lantern, perfectly matching with your front door or garden shed. Elegant combination of the matt black open frame and the clear cylindrical glass. You can apply the newest E27 filament LED bulbs, now available in all forms & shades. (bulb not included)


suitable for smartbulb




Matt Black

**5207901012**

CLASS I  
IP44  
E27 Max.40W  
Die Cast Aluminium



**FAST  
CONNECTION**





# pine

## wall & bollard

The stylish outdoor light PINE, combines a rustic touch with contemporary shapes. This family for outdoor is pure elegance thanks to a mix of high-end aluminium with sleek lines and the shapes of the clear glass that protects the light bulb. This medium size lantern sits perfectly at your front door, alongside your terrace or can accentuate a façade.


suitable for smartbulb



**Matt Black**


**5296602012**

CLASS I  
IP44  
E27 Max.40W  
Die Cast Aluminium




**7196601012**

CLASS I  
IP44  
E27 Max.40W  
Die Cast Aluminium




**7196603012**

CLASS I  
IP44  
3\*E27 Max.40W  
Die Cast Aluminium



**FAST CONNECTION**





# Flair

## wall

The FLAIR lantern family in cottage style gives you the possibility to create a diverse lighting design in your garden & around your house in the same style. In combination with LED filament retrofit bulbs you will create a perfect cosy & safe atmosphere.


suitable for smartbulb



**Matt Black**



**5288801012**

CLASS I  
IP44  
E27 Max.40W  
Die Cast Aluminium



**5288802012**

CLASS I  
IP44  
E27 Max.40W  
Die Cast Aluminium






# Flair

small wall & double wall

These two wall lanterns will create extra possibilities to work out the desired luminaires design around your home and beside your entry doors. Comes also with E27 fitting suitable for the newest filament LED bulbs.

suitable for smartbulb



Wood Look  
Matt Black

**5288814012**  
**5288803012**

**5288804012**

CLASS I  
IP44  
E27 Max.40W  
Die Cast Aluminium



CLASS I  
IP44  
2\*E27 Max.40W  
Die Cast Aluminium



spare glass  
9788801000



spare glass  
9788802000





# Flair

portable & bollard

The portable version, with an 1.5 meter outdoor wire and plug, will create a cosy atmosphere on your garden tables & terraces. The bollard makes the FLAIR family complete. Also these two executions are suitable for E27 filament LED retrofit bulbs.


suitable for smartbulb



Matt Black


**6588801012**

CLASS I  
IP44  
E27 Max.40W  
Die Cast Aluminium



**7288801012**

CLASS I  
IP44  
E27 Max.40W  
Die Cast Aluminium





# kelsey

## wall

Give your outdoor spaces an intimate look and feel with this complete outdoor light family. While using the newest "filament" retrofit LED bulbs with your KELSEY wall lights, you will create a charming atmosphere on your outside walls. Available with 2 different types of glass, water glass and clear glass diffuser.

suitable for smartbulb




**Matt Black**  
Water Glass  
**Matt Black**  
Clear Glass

**5273701012**

**5273702012**

CLASS I  
IP44  
E27 Max.40W  
Die Cast Aluminium

9705501000  
9705502000  
9705506000  
9705508000  
spare glass




**5273601012**

**5273603012**

CLASS I  
IP44  
E27 Max.40W  
Die Cast Aluminium

9705503000  
9705508000  
spare glass





# kelsey

## bollard & Pendant

KELSEY pedestal and the new introduced pendant can be applied to complete your light plans and create a charming and warm atmosphere on your terrace or patio.

suitable for smartbulb



**Matt Black**  
Clear Glass



**7273604012**

CLASS I  
IP44  
E27 Max.40W  
Die Cast Aluminium



**6273601012**

CLASS I  
IP44  
E27 Max.40W  
Die Cast Aluminium







# kelsey

## bollard

While using the newest "filament" retrofit LED bulbs with your KELSEY bollards, you will create a charming atmosphere along your garden paths. Available with 2 different types of glass, water glass and clear glass diffuser.


suitable for smartbulb



**Matt Black**  
Clear Glass


**7273605012**

CLASS I  
IP44  
E27 Max.40W  
Die Cast Aluminium



**7273606012**

CLASS I  
IP44  
3\*E27 Max.40W  
Die Cast Aluminium





# cate

## wall & bollard

This complete family with an authentic feel will turn your garden into a cozy & warm atmosphere, while using the newest "filament" LED bulbs.


suitable for smartbulb



**Matt Black**


**5264201213**

CLASS I  
IP44  
E27 Max.60W  
Die Cast Aluminium




**7264210213**

CLASS I  
IP44  
E27 Max.60W  
Die Cast Aluminium



**7264230213**

CLASS I  
IP44  
3\*E27 Max.60W  
Die Cast Aluminium



A close-up photograph showing a black, textured surface on the left and a white plastic component with several circular holes on the right. The lighting is dramatic, with strong highlights and deep shadows.

SOLAR

enjoy the solar  
side of light

# SOLAR

## smart solar



**TUDA**  
6935501330 / P235



**TUDA**  
6935502330 / P237



**FRAN**  
6941502330 / P241



**FADI**  
6939501330 / P243



**GINBO**  
6938405330 / P239



**KARLO**  
6935802012 / P245



**DIAS**  
6996601012 / P247



## portable



**POPS**  
6910901012 / P251



**POPPY**  
6910802335 / P253



**DIVA**  
6938602330 / P255



**KOZY**  
6933701330 / P257



**TABLE CUBE**  
6908001337 / P259



**TABLE CUBE**  
6908001331 / P259



**DRAGONFLY**  
6904101337 / P261



**DRAGONFLY**  
6904101331 / P261

## wall integrated panel



**MOZE**  
6943101012 / P263



**TRY**  
6939101330 / P265



**ARROW**  
6910601335 / P267



**BRICK**  
6908501308 / P269



**BUBBLE**  
6908701001 / P271



**DISO**  
6906702335 / P273



**MOON**  
6906001118 / P275



**DOBLO**  
6940101125 / P277



**DOBLO**  
6943701125 / P279



**DOBLO**  
6943801125 / P281



**CURTIS**  
6934601118 / P283



**FIA**  
6990901012 / P285



**FLAIR**  
6988804012 / P287



**GHOST SOLAR**  
6901401337 / P289



**TILLY**  
6901201000 / P291

## bollard integrated panel



**DISO**  
6906703335 / P273



**FLAIR**  
6988802012 / P287



**LONDON**  
6951301189 / P293

## flood independent panel



**SUNSHINE**  
6925701345 / P295



**SUNSHINE**  
6925604345 / P295



**SUNSHINE**  
6925601345 / P297

# LUTEC SOLAR



finally solar lighting  
becoming smart!

solar



connected

- ☑ Energy Saving
- ☑ Easy installation no wires needed
- ☑ Higher lumen output
- ☑ Long life solar battery

- ☑ Easy to install, connect and control
- ☑ Fast & Stable bluetooth connection
- ☑ Lights are connected to each other via Bluetooth Mesh
- ☑ Range up to 50m
- ☑ Adjustable light settings
- ☑ Control by smart phone or motion sensor



## Control and adjust your SOLAR lights

Switch your lights on or off, dim your lights, change the temperature or the color according to your mood.




## High tech Low energy

Easy to control solar lights for better efficiency and comfort.



## Create Groups for more convenience

Control all your lights at once! Easy and fast set up, you can add or delete any light from the group.



## Manage the battery life


Check the battery level at any time. At low battery levels, switch easily from ON to PIR or OFF mode.



## Control and adjust your SOLAR lights

With the LUTEC connect App you can switch your lights On/Off, dim or change the color temperature easily.


The led color feature available in either the bollard or spike, allows you to create your own personalised garden atmosphere, designing your outdoor space in style with colors or dedicated scenes.



## Create Groups for more convenience

From first detection at your driveway or path create a group which allows all lights to illuminate

Create a group with the Solar connect light through the APP.  
Thanks to Bluetooth MESH the lights can be easily linked and work simultaneously.



## High tech Low energy



Within the application you can select OFF-AUTO-ON mode. Selecting AUTO mode activates the movement sensor, which enables the light to come on only when someone is passing and increases battery life from a single charge.




From the sensor menu you can :

- Activate the detection from near to the sensor to further away
- Set Twilight mode from dusk to dawn
- Choose light reaction time from 10 seconds to 3 minutes
- Constant light : Additional option to set your light output at 20% and also duration from 2 to 8 hours.

## Manage the battery life



This feature enables you to quickly check the battery level.  
You can decide to increase or decrease the brightness or switch to AUTO mode or even Off, allowing full user control.



Visit our dedicated website which supports and inspires our consumers with their experience

[www.lutec-connect.world](http://www.lutec-connect.world)

Powered by **tuya** Intelligence Inside

Download on the **App Store**

GET IT ON **Google Play**





# tuda

## integrated panel


TUDA LED outdoor wall light is a highly efficient light source. It provides light 365 days a year because it is equipped with a highly efficient solar panel and a powerful rechargeable battery. This allows a completely powerless installation. The integrated sensor ensures that the light is automatically switched on when the PIR sensor detects an approaching person.




Matt Black


**6935501330**

CLASS III  
IP44  
LED 8.5W  
2\*2200mAh 3.7V Li-ion battery  
1000 Lumen  
Synthetics

 Battery  
Item nr:9759804000



\* **Dimming\*** 



\* **Instant full light**  
\* Dimmable via the app and voice control





# tuda

## integrated panel


TUDA LED outdoor wall light is a highly efficient light source. It provides light 365 days a year because it is equipped with a highly efficient solar panel and a powerful rechargeable battery. This allows a completely powerless installation. The integrated sensor ensures that the light is automatically switched on when the PIR sensor detects an approaching person. Available with three adjustable heads.





Matt Black

**6935502330**

CLASS III  
IP44  
LED 13W  
2\*2200mAh 3.7V Li-ion battery  
1500 Lumen  
Synthetics

 Battery  
Item nr:9759804000



\* **Dimming\*** 

**Adjustable whites**


2700 K  6500 K

\* **Instant full light**

\* Dimmable via the app and voice control








**\* Instant full light**  
 \* Dimmable via the app or voice control

# ginbo

## wall & spike

The GINBO Solar lamp is good for the environment. This lamp works on solar energy! In addition, it has a modern look and fit every garden or balcony. Furthermore, it also gives exactly the light you want. Thanks to the free app you can adjust color and intensity and even save scenes.



From the comfort of your own home!





**Matt Black**

**6938405330**

CLASS III  
 IP44  
 LED 7W  
 2200mAh 3.7V Li-ion battery  
 500 Lumen  
 Synthetics

**Battery**  
 Item nr:9759804000





# Fran

## integrated panel


FRAN is a cordless, solar wall light in a modern and minimalist design. It is charged by sunlight during the day, and turns on automatically when detecting motion. The light is perfect for illuminating your main entrance, driveway or other areas with a lot of traffic. Easy installation with no cables needed. Thanks to the connected module you can light your outdoor space completely to your personal taste via the free app.




Matt Black


**6941502330**

CLASS III  
IP44  
LED 9.7W  
2200mAh 3.7V Li-ion battery  
800 Lumen  
Synthetics

 Battery  
Item nr:9759804000



\* **Dimming\*** 

**Adjustable whites**  
2700 K  6500 K

\* **Instant full light**  
\* Dimmable via the app and voice control






# Fadi

## integrated panel

Solar connected wall light FADI has a sleek and modern look. The wall lamp has a convenient sensor which will automatically turn on when it gets dark. Can be used as fence lighting or facade lighting. Thanks to the connected module you can light your outdoor space completely to your personal taste via the free app. During the day the lamp will charge itself by means of the solar panel, so that in the evening and at night you can enjoy the cozy warm white light in your garden.



✱ **Instant full light**  
 \* Dimmable via the app and voice control




Matt Black

**6939501330**

CLASS III  
 IP54  
 LED 5W  
 2200mAh 3.7V Li-ion battery  
 800 Lumen  
 Synthetics

Battery  
 Item nr:9759804000





# karlo

## bollard & spike

The modern garden pathway light KARLO is a beautiful solar lamp that can be used wirelessly anywhere outdoors. The garden path light gets its energy from the solar panel at the head of the fixture. The integrated LEDs shine and reliably illuminate the path. Thanks to the integrated motion detector, light is always available when a person approaches the luminaire. In this way, dark paths from the garage to the house can be illuminated effectively and safely.




Matt Black

**6935802012**

CLASS III  
IP44  
LED 6.8W  
2200mAh 3.7V Li-ion battery  
500 Lumen  
Synthetics


Battery  
Item nr:9759804000

Ø130



\* Instant full light  
\* Dimmable via the app or voice control





\* Instant full light  
\* Dimmable via the app or voice control



# dias

## bollard & spike

DIAS bollard LED Solar light with spike is a nice extension in the LUTEC connect Solar range. The perfect model to create and program the desired atmosphere for every occasion in your garden or on your terrace. Enhanced by LUTEC connect dynamic CCT & RGB colour technology.




Matt Black










**6996601012**

CLASS III  
IP44  
LED 8.4W  
2200mAh 3.7VDC Li-ion battery  
900 Lumen  
Die Cast Aluminium

Battery  
Item nr:9759804000





# complete lighting solution: green & convenient


 <b>Solar Energy, no electricity consumption</b>	 <b>Full comfort Autonomy all night long</b>	 <b>Portable</b>
 <b>No electrical wiring, no connection to the mains</b>	 <b>Clever &amp; multiple control options</b>	 <b>Integrated solar panel</b>
 <b>Powerful LED Light</b>	 <b>Easy and fast installation</b>	 <b>Separate Solar panel</b>




## nice to know





Longer light or more powerful light




 High efficiency monocrystalline or polycrystalline solarpanel

 Integrated dusk to dawn sensor, automatic switch to light-on during night


 LED module with strong light output: 100 lumen up to 500 lumen


 Weatherproof materials and finishing


 Li-ion rechargeable battery included

## how to choose


 **solar panel**  
**Integrated**  
 Compact, no extra wiring


 **Separate**  
 Higher solar energy capacity


 **orientation of solar panel**  
**Fixed**  
 The luminaire should be placed in the most optimal position; south orientation


 **Adjustable**  
 The panel can be oriented in the most efficient position; south orientation (tilt angle 35° in summer - 65° in winter)

 **orientation of LED light**  
**Fixed**  
 Diffuse light - Up & down light

 **Adjustable**  
 Directional spotlight

 **clever control**  
**PIR motion sensor**  
 Smart use of the available solar energy  
 Always light when somebody is passing

 **High-Medium-Low switch**  
 Personalized choice to come to ideal combination of light output and autonomy

 **DIM**  
 The Light stays in low brightness all night and turns to high brightness when it detects motion.



# pops

## portable post

POPS LED Solar portable post. Straightforward design with dividable post and elegant white donut shaped diffusor. The big solar panel guarantees a powerful light during the night. Executed with a High-Medium-Low push switch giving you you the possibility to extend the autonomy. The extra USB connection can be used for extra charging of the batteries.



1	480lm	7h
2	240lm	21.5h
3	48lm	34h
4		oPF




Matt Black

**6910901012**

CLASS III  
IP54  
LED 5.1W  
1\*4400mAh 3.7VDC  
Li-ion battery  
480 Lumen  
Synthetics

3000K

Battery  
Item nr:9759805000






# poppy

## portable post

All in one Solar lighting solution. Trendy & convenient design. Listen to your favourite music on your terrace or in your garden during a lovely summer night.



1	300lm	6h
2	150lm	11h
3	50lm	32h
4		oFF


Dark Grey

**6910802335**

CLASS III  
IP54  
LED 8W  
1\*4400mAh 3.7V  
Li-ion battery  
300 Lumen  
Synthetics

3000K

Battery  
Item nr:9759805000







# diva

portable

DIVA LED Solar table lights create a gentle and unique light pattern, thanks to the faceted transparent diffuser. Excellent to transfer your garden table in a magical surrounding. All night long!



2-Pack



1	13lm	10h
2		oFF

Matt Black

**6938602330**

CLASS III  
IP44  
LED 0.11W  
1\*900mAh 1.2VDC Ni-MH battery  
13 Lumen  
Synthetics

4000K





# kozy

## portable

KOZY LED Solar table light creates a gentle and unique ray of lights . Excellent to convert your garden table or terrace in a cosy family place. All night long!



1	300lm	2.5h
2	150lm	5h
3	30lm	25h
4		oFF

Matt Black

**6933701330**

CLASS III  
IP44  
LED 2.8W  
1\*1500mAh 3.7VDC Li-ion battery  
300 Lumen  
Synthetics

4000K

Battery  
Item nr:9759808000





# table cube

portable

Handy & movable outdoor solar table light. The 3 step dimmer will always give you the right atmosphere in combination with a sufficient autonomy. With the touch dimmer you can dim the white light.



1	100lm	4h
2	40lm	10h
3	10lm	40h
4		oFF

Silver

**6908001337**



White

**6908001331**

CLASS III  
IP44  
LED 1W  
1\*1200mAh 3.7V Li-ion battery  
100 Lumen  
Synthetics

3000K

Battery  
Item nr:9759806000





# dragonfly

portable

In the "open" position this portable solar lamp will accumulate sufficient solar energy during the daytime or alternatively be charged through a built-in USB connector and included cable. In closed position it will give an inviting light when it is dark. Comes with 3 step dimmer. Available in white and silver colours.



1	120lm	4h
2	50lm	10h
3	10lm	40h
4		oFF



Silver

**6904101337**


White

**6904101331**

CLASS III  
IP54  
LED 1.2W  
1\*2200mAh 3.7V Li-ion battery  
120 Lumen  
Synthetics



Battery  
Item nr:9759804000





# moze

## integrated panel

A sleek design, the MOZE outdoor solar wall lighting is not only functional, but also a treat for the eye - during the day and in the evening. The built-in motion sensor assures you a welcoming light. The integrated LED makes it ideal for illuminating a path, but also to create the right mood on your terrace.




1	75times	AUTO
2	75times	DIM
3	10H	on
4		oFF


Matt Black

**6943101012**

CLASS III  
IP44  
LED 8W  
1\*1500mAh 3.7V Li-ion battery  
1000 Lumen  
Synthetics



Battery  
Item nr:9759808000






# try

## integrated panel

This outdoor SOLAR with integrated solar panels combines a simple functional design with a high user-friendliness. This Try wall light works without a power connection: you can easily install it in your garden or as mood lighting next to your front door. Thanks to the built-in motion sensor, it lights up automatically. An extra feature of this new design is the dim switch.




1	100times	AUTO
2	100times	DIM
3	10H	on
4		oFF




Matt Black

**6939101330**

CLASS III  
IP54  
LED 8W  
1\*1500mAh 3.7V Li-ion battery  
500 Lumen  
Synthetics



Battery  
Item nr:9759808000





# arrow

## integrated panel

Very compact Solar wall light. The small size and light weight assures an easy mounting on the smallest surfaces. Sensor-switched and executed with an inclined solar panel for a better sunlight capture.




1	160times	on
2		oFF


Dark Grey

**6910601335**

CLASS III  
IP44  
LED 2.3W  
1\*1200mAh 3.7V Li-ion battery  
180 Lumen  
Synthetics



Battery  
Item nr:9759806000





# brick

## integrated panel

Minimalistic design, easy installation on all different surfaces. Elegant built-in motion sensor with wide angle and large reach will capture every movement. Time & Light sensitivity regulation possible with levers at the inside.




1	120times	AUTO
2	2h	on
3		oFF




S/S

### 6908501308

CLASS III  
IP44  
LED 2W  
1\*2200mAh 3.7V Li-ion battery  
150 Lumen  
Synthetics



Battery  
Item nr:9759804000







# bubble

## integrated panel

The solar LED wall light DOBLO extracts its energy from the sun and therefore generates no electricity costs. The elegant design radiates powerful rays of white light that illuminate the wall. An extra feature of this new design is the dim switch.





1	190times	AUTO
2	3h	on
3		oFF


S/S

**6908701001**

CLASS III  
IP44  
LED 2.3W  
1\*2200mAh 3.7V Li-ion battery  
200 Lumen  
Synthetics



 Battery  
Item nr:9759804000






# diso

## integrated panel

Solar panel is perfectly integrated in the ingenious design. Ready to capture the full sunlight. Moveable head will orientate the light beam to the desired spot. The wall version comes with a PIR motion sensor which assures you a power full light any time someone is passing. Bollard version mountable with screws or with included ground spike.




1	130times	AUTO
2	2h	on
3		oPF

1	200lm	2h
2	100lm	5h
3		oPF


Dark Grey

**6906702335**

CLASS III  
IP44  
LED 2W  
1\*2200mAh 3.7V  
Li-ion battery  
200 Lumen  
Synthetics



Battery  
Item nr:9759804000




**6906703335**

CLASS III  
IP44  
LED 2W  
1\*2200mAh 3.7V  
Li-ion battery  
200 Lumen  
Synthetics



Battery  
Item nr:9759804000





# moon

## integrated panel

Elegant LED Outdoor Solar wall light with downlight function. Your frontdoor area or garden wall will light up completely thanks to the powerful light beam. The cylindrical white synthetic diffuser creates a nice homogenous cool white light. Integrated switch with AUTO (with motion sensor) - DIMming - ON (permanent light) - OFF function.



1	100times	AUTO
2	100times	DIM
3	15H	on
4		oFF




Dark Grey

**6906001118**

CLASS III  
IP44  
LED 9.5W  
1\*2200mAh 3.7VDC Li-ion battery  
1000 Lumen  
Synthetics



Battery  
Item nr:9759804000





# doblo

## integrated panel

The solar LED wall light DOBLO extracts its energy from the sun and therefore generates no electricity costs. The elegant design radiates powerful rays of white light that illuminate the wall. An extra feature of this new design is the dim switch.





1	100times	AUTO
2	100times	DIM
3	10H	on
4		oFF


Dark Grey

**6940101125**

CLASS III  
 IP54  
 LED 7.5W  
 1\*1500mAh 3.7V Li-ion battery  
 500 Lumen  
 Die Cast Aluminium

 4000K

 Battery  
 Item nr:9759808000





# doblo

## integrated panel

The solar LED wall light DOBLO extracts its energy from the sun and therefore generates no electricity costs. The modern design radiates powerful rays of white light that illuminate the wall. An extra feature of this new design is the dim switch. Available in two different sizes.



1	100times	AUTO
2	100times	DIM
3	10H	on
4		oFF



Dark Grey

**6943701125**

CLASS III  
IP44  
LED 12W  
1\*1500mAh 3.7V Li-ion battery  
1000 Lumen  
Die Cast Aluminium

4000K

Battery  
Item nr:9759808000





# doblo

## integrated panel

Despite its modest shape, the LED outdoor wall light DOBLO appears to be extremely practical. A solar panel on the luminaire generates electricity from sunlight, which is stored in a rechargeable battery. You can choose between four settings. The LEDs are installed behind the rectangular diffuser and emit universal white light in all directions.





1	60times	AUTO
2	60times	DIM
3	10H	on
4		oFF


Dark Grey

**6943801125**

CLASS III  
IP54  
LED 16.5W  
2\*1500mAh 3.7V Li-ion battery  
1800 Lumen  
Die Cast Aluminium

 4000K

 Battery  
Item nr:9759808000





# curtis

## integrated panel

LED Solar wall light, with an opal diffuser and square aluminium frame.

The integrated PIR motion sensor will capture all movement and assures a powerful warm white light when somebody is passing throughout the night.




1	140times	AUTO
2	5.5h	on
3		oPF

Dark Grey

**6934601118**

CLASS III  
IP54  
LED 3W  
1\*1200mAh 3.7V Li-ion battery  
300 Lumen  
Synthetics  
3000K

Battery  
Item nr:9759806000





# Fia

## integrated panel


The FIA solar LED wall light is the perfect companion of the FIA traditional electrified range. Now, you've the option to mount this model on places without an electricity network. Integrated switch with triple function mode: DIM-AUTO-ON. The filament low voltage bulb is included.




1	10H	on
2		oFF

Matt Black

**6990901012**

CLASS III  
 IP44  
 E27 LED 2W  
 1\*1500mAh 3.7VDC Li-ion battery  
 200 Lumen  
 Die Cast Aluminium  
  
 2700K



Battery  
 Item nr:9759808000

Bulb  
 Item nr:8711802311  
 LED 2W  
 200 Lumen







# Flair

## independent panel

FLAIR bollard LED Solar light is perfectly fit for lighting of gardenpaths or the driveway of a cottage style house. Full installation freedom, no cables needed. Turns on automatically when it gets dark in the evening. The filament low voltage bulb is included.




1	100times	AUTO
2	100times	DIM
3	15H	on
4		oFF

1	200lm	2.5H
2	100lm	5H
3	20lm	25H
4		oFF


### Matt Black 6988804012

CLASS III  
IP44  
E27 LED 2W  
1\*1500mAh 3.7VDC Li-ion battery  
200 Lumen  
Die Cast Aluminium






### 6988802012

CLASS III  
IP44  
E27 LED 2W  
1\*1500mAh 3.7VDC Li-ion battery  
200 Lumen  
Die Cast Aluminium



Battery  
Item nr:9759808000

Bulb  
Item nr:8711802311  
LED 2W  
200 Lumen





# ghost solar

## integrated panel

Sleek and elegant design. This wall washer with integrated solar panel and wide angle PIR motion sensor offers you a strong light when needed.




1	80times	AUTO
2	2h	on
3		oPF





Silver

**6901401337**

CLASS III  
IP44  
LED 2.4W  
1\*2200mAh 3.7V Li-ion battery  
260 Lumen  
Synthetics



Battery  
Item nr:9759804000





# tilly

## integrated panel

A slim, futuristic design. The sleek adjustable spot heads can be orientated under the solar panel surface, giving multiple directions and powerful light beams. In combination with the subtle and centrally positioned PIR sensor, it will detect any movement throughout the night and will illuminate any foreseen or unforeseen guest.



1	120times	AUTO
2	2h	on
3		oPF


Silver

**6901201000**

CLASS III  
 IP44  
 LED 4W  
 1\*2200mAh 7.4V Li-ion battery  
 420 Lumen  
 Die Cast Aluminium



Battery  
 Item nr:9759802000






# london

## integrated panel

Classic 6 side lantern powered with Solar energy. The almost invisible Solar panel at the roof of the lantern has a large capacity with an autonomy of more than 10 hours during night time. Comes with 3 retrofit filament bulbs, creating a warm & gentle light. The die-cast aluminium post can be mounted on a paved surface thanks to the included metal mounting bracket. For unpaved surfaces, you can use the special spike, available as an accessory.



### Estimated Light Run Time for Different Seasons

	Winter	Spring	Summer
300 lumen	(101W/m <sup>2</sup> ) 03h40	(332W/m <sup>2</sup> ) 08h00	(603W/m <sup>2</sup> ) 10h00

Actual run time may vary depending on your specific location



Matt Black


**6951301189**

CLASS III  
IP44  
LED 6W E14/incl.  
1\*2200mAh 7.4V  
Li-ion battery  
300 Lumen  
Die Cast Aluminium  
3000K

Battery  
Item nr:9759801000


**9700359330**

Synthetics



**9700357000**

LED 2W  
250 Lumen






Wiring system



# sunshine

## independent panel

This SUNSHINE wall light offers a complete security light installation without any wiring to the electricity network. The separate adjustable solar panel with its 5 m cable can be positioned on the optimum spot to capture sunlight all day long. Comes with an PIR motion sensor. The movable spot head gives a very powerful lightbeam.




1	max 100times	AUTO
2	10h	on
3		oFF

1	max 75times	AUTO
2	10h	on
3		oFF



Dark Grey

**6925701345**

CLASS III  
IP54  
LED 7W  
1\*1500mAh 3.7V Li-ion battery  
500 Lumen  
Synthetics




Battery  
Item nr:9759808000




**6925604345**

CLASS III  
IP54  
LED 11W  
1\*1500mAh 3.7V Li-ion battery  
800 Lumen  
Synthetics




Battery  
Item nr:9759808000






Wiring system



# sunshine

## independent panel

Elegant & powerful flood light offers a complete solution wherever there's no electrical power connection available. Ideal for illuminating your courtyards & driveways. The separate moveable solar panel comes with a 5 meter connection cable and can be positioned on the best spot to capture sunlight. Featuring an adjustable (time & distance) PIR motion sensor.




1 240times 30S


Dark Grey

**6925601345**

CLASS III  
IP44  
LED 7.5W  
1\*2200mAh 3.7V Li-ion battery  
500 Lumen  
Synthetics



Battery  
Item nr:9759804000



SECURITY

security for  
your comfort

# SECURITY

## connected camera



**FLAIR**  
5288811012 / P309



**CUBA**  
5193812118 / P311



**POLLUX**  
5196004118 / P313



**ELARA**  
5267106001 / P315



**ELARA**  
5267106118 / P315



**DRACO**  
7622220012 / P317



**LIBRA**  
7632406053 / P319



## wall



**MAYA**  
5198401001 / P325



**QUBO**  
5193002118 / P327



**LEDA**  
5267103001 / P329



**CYRA**  
5198102118 / P331

## flood



**SUNSHINE**  
7625601345 / P333



**SUNSHINE**  
7625701345 / P333



**ARTICA**  
7635605331 / P335



**ARC**  
7632201053 / P337



**SHRIMP**  
7622221012 / P339



**SHRIMP**  
7622222012 / P339



**SHRIMP**  
7622104330 / P339

## sensor



**SPHERE**  
9701601330 / P341



**TORUS**  
9701501330 / P343



# LUTEC

## SECURITY

always  
connected  
with your home

As market initiator LUTEC is proud to present the 3th generation of the connected camera light range, replacing in full the first 2 generations.

This new range has been developed based on learnings and consumer insights and by applying the gains and innovations of the fast evolving connected camera technology.


This has resulted in a versatile range of decorative and functional camera light fixtures, ready to install or to make a swift replacement of your actual outdoor luminaires.



# LUTEC SECURITY



## LUTEC outdoor camera light everything is under control



- ✔ Powered for lighting
- ✔ High definition camera
- ✔ Adjustable motion Sensor
- ✔ See, talk and dialogue

- ✔ Easy to install, connect and control
- ✔ Create groups with other lights
- ✔ Voice control ready
- ✔ Recieve notifications




Recieve an alert when someone approaches your home




Get live notifications via your smartphone when someone approaches your door

Keep an eye on your house anytime, anywhere



Enable you to take a picture or record a video from wherever you are.


Listen and talk live with your visitors




Talk with your delivery person, you will never miss your expected parcel

# Thanks to Bluetooth MESH

- Quick and easy to find the device and start the configuration process immediately
- Actively send feedback of a problem during the network configuration
- Create groups with your camera light and trigger other LUTEC connect lights on



**EASY TO CONNECT**



# Thanks to Wifi



Be notified and exchange with people away from home.


Keep in touch with home, images are accessible 24 hours a day from your smartphone, including

Voice control ready  
Works with LUTEC access box sold separately.



# Powered for lighting

- Switch your lights on or off
- Dim your lights
- Change the color temperature



# Camera high definition

- High-definition video recording at night
- H265-video file size is halved
- Video playback and transmission speed are doubled
- Alert sensitivity: High, Medium, Low

**HD CAMERA**



# Adjustable motion Sensor

- Detection reach from near to far distance
- Twilight settings from dark to dusk
- Light time reaction from 10 seconds till 3 minutes
- Constant light: Set your light output at 20% during all night



# Secure storage

- SD card Already installed in the product
- Ready to use
- Storage capacity 16 GB

**SECURE STORAGE**




# See, talk and dialogue

Listen and speak to visitors from wherever you are.

Trigger the siren straight from your app when there is an intruder.

Start continuous recording to get view of the whole event

**DIALOGUE**



**LUTEC connect**




Powered by



Visit our dedicated website which supports and inspires our consumers with their experience



[www.lutec-connect.world](http://www.lutec-connect.world)



# Flair

wall


Member of the FLAIR traditional lantern series, this smart security camera light will keep an eye on your home. Features an integrated camera, speaker, micro and motion sensor all controllable in one App. Suitable for LED filament bulbs, not included.





Matt Black


**5288811012**

CLASS I  
IP44  
E27 Max.40W  
Die Cast Aluminium





\* **Dimming\*** 



**Adjustable whites**

2700 K 6500 K

\* **Instant full light**  
 \* Dimmable via the app and voice control

# cuba


## wall


Extension of the design award winning CUBA series, this smart security camera light will keep an eye on your home. Features an integrated camera, speaker, micro and motion sensor all controllable in one App. Multiple orientation possibilities of the light-head, camera and motion sensor.





Dark Grey

**5193812118**

CLASS I  
 IP44  
 LED 17.3W  
 1000 Lumen  
 Die Cast Aluminium  






\* **Instant full light**  
 \* Dimmable via the app and voice control

# pollux

wall


Compact and elegant aluminium wall light. The tubular design makes a good fit at your front or back door. Features an integrated camera, speaker, micro and motion sensor all controllable in one App.




Dark Grey

**5196004118**

CLASS I  
 IP44  
 LED 18.8W  
 1200 Lumen  
 Die Cast Aluminium






# elara

wall

Tubular stainless steel wall light with a familiar design for entry-door application. This lamp has a perfect finish and appropriate combination of the used materials. The integrated LED connected module will give you all the freedom to control your light on your smart devices. Camera, Speaker, Microphone & PIR motion sensor are fully integrated in the fixture. Also available in dark grey.



CONTROL & ADJUST



S/S

**5267106001**

Dark Grey

**5267106118**

CLASS II  
IP44  
LED 17.5W  
1300 Lumen  
Stainless Steel

CLASS II  
IP44  
LED 17.5W  
1300 Lumen  
Die Cast Aluminium


\* **Dimming\***


**Adjustable whites**

2700 K 6500 K

\* **Instant full light**

\* Dimmable via the app and voice control





# draco

wall



Double head projector with integrated connected LED module & multiple orientation possibilities. It gives you full flexibility to cover the desired area. Comes with light, audio, video and detection all controllable in one App.




Matt Black

7622220012

CLASS I  
IP44  
LED 19W  
1200 Lumen  
Die Cast Aluminium







# libra

wall & ceiling


Double head projector in the LUTEC connected camera range. The two "wings" feature a diffusor surface without edges, resulting in a perfectly homogeneous light beam. The automatic plug-in connection allows a simple & easy installation. The multiple orientation possibilities will give you full flexibility to cover the desired area.



White

**7632406053**

CLASS I  
IP44  
LED 36W  
3400 Lumen  
Synthetics



\* **Dimming\***



**Adjustable whites**


2700 K 6500 K

\* **Instant full light**

\* Dimmable via the app and voice control



**FAST CONNECTION**





# InMotion

Security Sensor Light

## security for your **comfort**

LUTEC presents the InMotion concept offering a complete range of Security Sensor Lights.


The range is featuring, besides the powerful flood lights with one or two heads, a number of very elegant designs which make a perfect match with the architecture of your house. The 2 stand-alone PIR sensors with multiple controls make the range complete.

## Passive infrared (PIR) motion sensor

### How does it work?

A PIR sensor detects changes in the amount of infrared radiation and converts this changes into a switch-on signal.

When a person makes a movement within the detection reach, the sensor will detect a difference in infrared radiation in between the person's body and the environment.



### Comfortable detection area

The detection area is a combination of the reach in distance and angle. An adjustable sensor can be tilted and/or turned and gives you full freedom.

### Your personal settings

#### Time setting

As from the moment the sensor detects a movement the light stay on from 10 seconds upon 8 minutes according your preference.



#### Twilight setting

The environment brightness can be adjusted according your selection from night (10 lux) to daylight. In this way the light will switch into the "ON" position according the selected outside light level and not during the day.



#### Distance setting

You can limit the detection distance in accordance with the desired detection area. In this way you can avoid a movement detection outside your private grounds.



### For your convenience

#### Dusk to dawn

Automatic light on switching as soon it's dark outside



#### Ambient Light

Light stays on all night long in a gentle ambient light, after movement detection the light switches on a powerful light beam.

#### Double sensor

Assures you a full detection not only frontal but also underneath the luminaire close to the wall.

#### Test mode

You can define the perfect detection area during installation in daylight situation




### How to choose?

Check in a few steps which InMotion Security Sensor Light suits the best for your home situation.



### BASED ON SENSOR DETECTION REACH



### BASED ON LUMINAIRE CHARACTERISTICS





# maya

## wall




This compact Up & Down wall light with wide beam in aluminium with stainless steel cover has a timeless design. Discrete position of the black adjustable PIR motion sensor, makes it almost invisible.



S/S

**5198401001**

CLASS I  
IP44  
LED 18.5W  
1200 Lumen  
Stainless Steel





# qubo

## wall


With this wall light it is always pleasant to come home. Thanks to the performant integrated motion sensor, the visitors to your home will be detected from a distance and light will automatically switch on.



Dark Grey

**5193002118**

CLASS I  
IP54  
LED 14W  
800 Lumen  
Die Cast Aluminum

 3000K





# leda

## wall

Tubular stainless steel wall light in the InMotion range contains a horizontal and vertically adjustable motion sensor. Thanks to the integrated sensor the light will automatically illuminate as soon as you get closer.




S/S

**5267103001**

CLASS II  
IP44  
LED 15.5W  
1400 Lumen  
Stainless Steel



3000K





# cyra

## wall




Tubular wall light with a combination of anthracite grey aluminium body and opal white diffuser. The two moveable heads offer you a 350° rotation possibility resulting in a nice glow on your external wall or a frontal diffuse lightbeam. Comes with a black, almost invisible motion sensor.



Dark Grey

**5198102118**

CLASS I  
IP54  
LED 16.5W  
1000 Lumen  
Die Cast Aluminum





# sunshine

## wall



Elegant & powerful flood light, ideal for illuminating larger areas as your courtyards & driveways. The rectangular head can be directed over 2 axes. Comes with a high quality and fully adjustable PIR motion sensor with a detection reach up to 18 meter. Now also available in compact version - 800 lumen.



Dark Grey



**7625601345**

CLASS II  
IP54  
LED 15.4W  
1100 Lumen  
Synthetics



**7625701345**

CLASS II  
IP44  
LED 12.5W  
800 Lumen  
Synthetics







\* **Dimming\***



**Adjustable whites**

2700 K 6500 K

\* **Instant full light**

\* Dimmable via the app and voice control



# artica

wall


Modern sensor 2 heads floodlight with high-quality design, ideal for illuminating large areas around buildings thanks to its high light output. An IR sensor with 180° registration angle and a range of up to 18m are fully integrated. Pleasant and powerful light thanks to the high-quality LED panel. The integrated LED connected module will give you all the freedom to control your light on your smart devices.




White


**7635605331**

CLASS II  
IP44  
LED 14.5W  
1200 Lumen  
Synthetics





Quick install



# arc

## wall & ceiling

Elegant double head projector with fully adjustable motion sensor. The two "wings", feature a diffuser surface without edges, resulting in a perfectly homogeneous light beam. The multiple orientation possibility gives you full flexibility to cover the desired area.





White

**7632201053**

CLASS I  
IP54  
LED 13W  
1200 Lumen  
Synthetics



5000K





# shrimp



wall & ceiling

Elegant yet powerful security floodlight with typical "bike lamp" design. This new upgraded versions, with and without adjustable motion sensor, feature an increased light-output up to 1700 lumen. The SHRIMP II is a double insulated, electrical appliance.




Matt Black **7622221012**

CLASS I  
IP54  
LED 23.5W  
1700 Lumen  
Die Cast Aluminum






**7622222012**

CLASS I  
IP54  
LED 23.5W  
1700 Lumen  
Die Cast Aluminum



**7622104330**

CLASS II  
IP54  
LED 12W  
1250 Lumen  
Synthetics





# sphere


sensor

Stand alone passive infrared motion sensor.  
Compact orientable version with detection  
range up to 12 meter and detection  
angle of 180°.



**Matt Black 9701601330**

CLASS II  
IP44  
MAX 1100W  
Synthetics





# torus



## sensor

Stand alone double and adjustable motion sensor. The frontal sensor has a detection range of up to 21 metres & 270°. The second sensor covering the area underneath detects any movement close to the wall.



**Matt Black 9701501330**

CLASS I  
IP44  
MAX 1000W  
Synthetics





FUNCTIONAL

where function  
meets form

# FUNCTIONAL

recessed  
ground



**BERLIN**  
7700511012 / P349



**CYDOPS**  
7704216012 / P351



**CYDOPS**  
7704223012 / P351




**ARCTIC**  
7701301012 / P353



# berlin


## recessed ground

Round stainless recessed ground spots creating a nice effect to guide you along your driveway, pathway or terrace. Compact in size yet solid in construction, you can drive over it with a car.



**7700511012**

CLASS I  
IP67 & IP65  
GU10 35W  
Stainless Steel








# cydops



## recessed ground

This outdoor CYDOPS spotlight is both a practical and decorative addition to your garden, driveway or patio. The lamp is made of aluminium and has an IP67 protection rating, making it suitable for outdoor use. This garden spotlight has low power consumption. Available in different versions.




### 7704216012

CLASS I  
IP67 & IP65  
LED 6.8W  
580 Lumen  
Stainless Steel



### 7704223012

CLASS I  
IP67 & IP65  
LED 6.8W  
580 Lumen  
Stainless Steel





# arctic

## recessed ground

Robust, powerful yet compact recessed LED ground spot with a limited build-in depth. This spot can be inclined up to an angle of 40°. Pick out ornaments, trees and bushes in your garden with a stunning light effect.




### 7701301012

CLASS I  
IP67 & IP65  
LED 13.7W  
550 Lumen  
Die Cast Aluminum



4000K



ACCESSORY



control  
at the tip of  
your fingers

# ACCESSORY

## LUTEC connect



**REMOTE CONTROL**  
9702315361/ P359



**ACCESS BOX**  
9704401361/ P360



**SMART SWITCH**  
9706201361/ P361



**DAWNY**  
9760002330/ P363



## LUTEC solar



**BATTERY PACK**  
9759801000/ P364



**BATTERY PACK**  
9759803000/ P364



**BATTERY PACK**  
9759804000/ P364



**BATTERY PACK**  
9759802000/ P365



**BATTERY PACK**  
9759805000/ P365



**BATTERY PACK**  
9759806000/ P365



**BATTERY PACK**  
9759808000/ P365



**Point & Play**  
in the room  
Infra Red individual control



- ON/OFF
- Tunable White
- Dimming
- Colors
- Scenes
- Night Light
- Work light
- Party
- Fire
- Forest
- Ocean
- Romantic




**Control every light**  
Inside or outside the house  
Bluetooth Group control



You can add as many smart lighting devices as you want to one of the 3 groups (A-B-C).

I/O push button switches on-off all the lights of the same group.



# remote

## accessories

A 2-in-1 remote control that allows you to switch the power off from the top half by pointing to change the intensity of the light, the color changing temperature, and access the colors or even multiple varied scenes. From its lower part, you can turn a group of lamps on or off from anywhere in the house.




### smart lighting technology



White **9702315361**

Infra Red individual control  
Plastic



## expand the experience

Add the WiFi LUTEC Connect Access Box to the Bluetooth mesh eco-system. Allows the connection of the Bluetooth mesh ecosystem with your Wifi router at home.


The complete LUTEC Connect lighting portfolio is Voice Control Compatible



Hey Google, turn on the light!



Alexa, change the light in blue!



Via Cloud access you can control all the devices in your LUTEC Connect lighting network from anywhere out of home.



# access box

## accessories

Small in size, it can be easily installed. Even if this accessory is not essential for the proper functioning of the complete system, it is however necessary to access certain functionalities such as voice control but also the programming of one or more lamps over time or according to a particular condition such as the weather.




smart lighting technology



White

9704401361

Smart switch  
Plastic



Click to turn on/off the light



Rotate to change the brightness




Press and rotate to change the color temperature



Long press to change the mode  
warm white  
cold white  
night light  
party

## Function Buttons A/B/C



1. Long press to add the device to the group
2. Short press to activate and control group devices
3. Long press knob and button A to reset the device



# smart switch

## accessories

Very ingenious, this accessory can be easily attached thanks to its 3M self-adhesive system. No need to connect to the electrical network, it allows you to switch on and off with a single click or to vary the intensity and temperature of the lamps in a room or in a zone defined in the application. 3 zones are possible A, B, C allowing a wide coverage, for example the lamps of the room where the switch is installed, the exterior lighting or a complete zone such as a ground or a complete floor.




smart lighting technology



White

9706201361

Smart switch  
Plastic







Easy & fast pairing with LUTEC connect app



Adjust in the LUTEC connect app, Time, Twilight and Distance settings



Works with all the LUTEC connect devices except Solar connect range



# dawny

## accessories

Automatically control your outdoor lights with DAWNY outdoor & indoor motion sensor. Place the wireless, battery-powered detector anywhere and trigger your lights at any movement. Versatile mounting options: Ceiling, Wall and Corner.



smart lighting technology



Matt Black

**9760002330**

CLASS III  
IP44  
2 x 1.5 V 1300mAh NiMH AA battery  
Sensor  
Plastic

Ø85





2 x LR03 AAA








Not included

# LUTEC RECHARGEABLE BATTERIES

<b>9759801000</b>			6951301189 LONDON	
Type	Li-ion rechargeable			
Voltage	7.4V			
Capacity	2200mAh			
Connection	1mm round			












<b>9759802000</b>			6901201000 TILLY	
Type	Li-ion rechargeable			
Voltage	7.4V			
Capacity	2200mAh			
Connection	SM flat			

<b>9759803000</b>			6901601000 SUNSHINE	
Type	Li-ion rechargeable			
Voltage	3.7V			
Capacity	2200mAh			
Connection	1mm round			

<b>9759805000</b>			6910802335 POPPY	
Type	Li-ion rechargeable			
Voltage	3.7V			
Capacity	4400mAh			
Connection	SM flat			
			6910901012 POPS	


<b>9759804000</b>			6935501330 TUDA	
Type	Li-ion rechargeable		6935502330 TUDA	
Voltage	3.7V		6938405330 GINBO	
Capacity	2200mAh		6941502330 FRAN	
Connection	NA		6939501330 FADI	
			6935802012 KARLO	
			6904101337 DRAGONFLY	
			6904101331 DRAGONFLY	
			6914401000 MINI LEDSPOT	
			6908501308 BRICK	
			6901501000 BREAD	
			6908701001 BUBBLE	
			6906702335 DISO	
			6906703335 DISO	
			6901401337 GHOST SOLAR	
		6925601345 SUNSHINE		
		6906001118 MOON		
		6996601012 DIAS		

<b>9759806000</b>			6908001337 TABLE CUBE	
Type	Li-ion rechargeable		6908001331 TABLE CUBE	
Voltage	3.7V		6910601335 ARROW	
Capacity	1200mAh		6934601118 CURTIS	
Connection	NA		6933701330 KOZY	


<b>9759808000</b>			6943101012 MOZE	
Type	Li-ion rechargeable		6939101330 TRY	
Voltage	3.7V		6940101125 DOBLO	
Capacity	1500mAh		6943701125 DOBLO	
Connection	NA		6943801125 DOBLO	
			6988804012 FLAIR	
			6925701345 SUNSHINE	
			6925604345 SUNSHINE	
			6990901012 FIA	
			6988802012 FLAIR	



# LUTEC Icons




Fix & Spike mounting




Spike mounting



No electric wiring



No tools required




Loop In - Loop Out



Spare glass




Car drive-over resistant



Type F socket

Schuko



Type E socket


French



Tools



Light angle



Up & Down


# LUTEC Icons - PIR motion sensor




PIR motion sensor



Sensor activation



Detection reach



Detection angle




Adjustable sensor  
Tilt & Turn




Adjustable sensor  
Turn



**LUX**  
Twilight setting




**TIME**  
Time setting



**DISTANCE**  
Distance setting



**DISTANCE**  
Distance setting




Test & Time setting


# LUTEC Icons - Solar




Integrated solar panel




Separated solar panel



Solar panel



Moveable solar panel



connection & cable



Dusk to Dawn



Portable



Touch dimming




3 step dimming

# LUTEC Icons - Connected Light



SD Card included



Adjustable camera



Video



Fast & stable connection




Audio



SD Card included



Suitable for smart bulb



Remote control



App control



Voice control

# introducing our company

50 years of experience

## The origins of a lighting company.

Originally set up as a national aluminum die-cast factory, we gained our first experience of outdoor lighting by producing bulkhead lights & classical garden lanterns. The first export shipment was made in 1996. The new factory in Yuyao became operational in 2001, concentrating on modern garden and professional lighting.

The LUTEC brand was launched in 2010, focusing on architectural LED lighting and the introduction of solar energy products. The success of the company resulted in the opening of a second production facility in 2012, fully devoted to future developments in design and new technologies.



## Nowadays, Lighting is both essential and magic.

The challenge of the lighting market is to create products which are a balance between the shape, impact and attractiveness. The LED revolution has completely changed the game, giving many new opportunities. Added to this we must not only continue to offer the latest technical innovations but also anticipate and provoke them, especially with solar energy and smart lighting controls.

We have expanded our international network and organisation: with new central warehouses in Belgium and China, establishing partners in many new countries allowing us to continue building our corporate identity and providing our partners with unique product support and marketing tools.

# welcome to the lutec center

connected by lighting

## The Future is always here.

Today we are all surrounded by the interactive and connected world. For many reasons it is evident that the lighting market must also embrace this new internet age. The need of control has become a must have feature.

Temperature, colour, dimming, activity sensors and timing controls are the norm. Programmable solutions for energy saving, interactivity between multiple light points or installations are becoming standard. Security options with camera visions, live video, and recording are no longer a futuristic dream as LUTEC products can perform all of the above.



## WELCOME TO THE LUTEC CENTER

This is where the magic is born.



The LUTEC centre located our HQ in Yuyao is an international meeting venue where new concepts, innovation & strategies are studied, created and shared with our partners. Recently the virtual showroom can be accessed from anywhere on the globe.

We provide an expert platform in design, sales and services. Staying close to our customers, allows the right design solutions to be found for their consumers.


Our team is trained to be proactive and reactive. The key to realise a win-win product, is to explore all the possibilities, look outside the box to find the best solution.

# design & engineering

design, engineering & manufacturing,  
all interactive.

One of the main decisions we have taken in the LUTEC organisation is to break down the walls between of each department to improve product strategy.

This brings a culture of flowing communication between the services where everybody has a positive role to play in all projects.



We all know development is complex with many obstacles to overcome however by working together helps our team to aim for the perfect solution as smoothly as possible.

Knowledge is shared at all levels. Creativity, marketing, engineering, production, and sales are seen as one.



# warehousing & transport

global logistic footprint assuring  
availability & proximity.



Unlike many other manufacturers in this sector, LUTEC keeps significant levels of finished goods in the central warehouses in Europe and China. Our aim is to reduce the lead time wherever possible.



The European Central Warehouse is now fully operational for more than 5 years, resulting in a proven logistic performance with a service level well over 90%. Overtime the ECW portfolio has increased up to 350 sku's with permanent availability.



Thanks to this warehouse located in Belgium, centrally situated in Europe, with an average lead time for most shipments is less than 7 days, the LUTEC products are always within reach.



We offer different transport options: direct shipment, cross docking, drop shipment or pick-up. this in close co-operation with each local LUTEC partner.



Recently we've arranged an appropriate set-up to assure different value adding trade marketing services in the ECW.



**CCW**  
China Central  
Warehouse  
Yuyao - China

**ECW**  
European Central  
Warehouse  
Bornem - Belgium

# LUTEC quality



As a global supplier, our products are fully compliant with all relevant technical & quality requirements of the different regions in the world.



All LUTEC LED products benefit from a 5-years functional warranty. For the SOLAR range we apply a standard 2-years operational warranty.

LUTEC Warranty Conditions, please check on [www.lutec.com/warranty](http://www.lutec.com/warranty)



## Integrated LED Light-engines

The LUTEC in-house engineering/production departments only use primary component suppliers, constantly improving the performance of the total LED product, resulting in a higher lumen/watt ratio.

**Low Energy Cost:** LUTEC products offer at least an 80% saving compared to traditional sources

**Long Lifetime:** up to 20.000 hours

LUTEC LED-light engines featuring the most appropriate characteristics in order to give the best result for all your outdoor applications.

- Lumen Maintenance: 100% LM-80 test report
- Color deviation: 100% under 5-step MacAdam ellipse


The LED driver is the heart of the LED module and is the main influencer of the life-time. LUTEC develops these drivers to the specification of the product for best performance. The production of the SMD's used in the LUTEC-drivers is done in-house in our approved SMT assembly lines. All drivers are compliant to all relevant standard and regulations.



# new ERP regulations 2021

## New EU regulation

The new EU regulation concerning Energy Efficiency for Lighting products involves New Energy Labelling regulations (EU) 2019/2015 and New Ecodesign requirements for lightsources. (EU) 2019/2020. Overall objective of this updated regulation is to protect environment, improve durability of lighting products and strengthen consumer protection.





## LUTEC Outdoor Portfolio

All LUTEC outdoor luminaires within the scope of the new EU-regulation are fully compliant to the new regulations. This has resulted to the attribution of a new classification with Energy Efficiency Classes in between A & G.

## “Containing Products” Classification

The complete range of LUTEC luminaires has been classified as Containing Products with a removable and (non) replaceable LED-module. As a result the new Energy Efficiency Class is related to the LED-Module and not to the complete luminaire as such.



## LED Module - Energy Efficiency Class

In order to make it clear that the test results are related to the LED Module, a specific EEL label was created with a “M” (Module) indication behind the item nr.

This EEL label can't be shown on the packaging of the complete Outdoor Luminaire. In the Instruction Manual we indicated the Energy Class of the concerned light Source (= LED Module)

## EPREL Database

Consumers can access the database by scanning the QR code featured on the new energy labels. The EPREL database offers detailed information of all registered LUTEC products.

## Available information on [www.lutec.com](http://www.lutec.com)

On our LUTEC website all related information is available for consultation and easy download of specific documents:

- Energy Label
- Instruction Manual
- Product Information sheet (with test results)
- Light Source Remove instructions



# LUTEC sustainable & environmental vision



We believe outdoor lighting is a unique category with a vast number of specific requirements and challenges. Our aim is to provide creative solutions, innovative designs using quality materials and products. Our categories include architectural designs with creative forms of illumination. Functional products, combining tough materials with stylish appeal, decorative products ranging from classic to ultra-modern shapes. Solar lighting that incorporates the latest trends alongside unique technologies. All this to support the ever changing climates around the world.

## Our commitments to everyday actions




### Durable Products

LUTEC outdoor luminaires are made from durable materials such as high density die-cast aluminium and synthetic glass, fully weatherproof, to **last for many years.**



### Zero-Plastic Packaging

LUTEC has started the complete **ban of plastic bags** in their consumer packaging as from mid 2021.



### Responsible Production & Operations

The roofs of LUTEC production facilities are equipped with high efficiency solar panels (10 000m<sup>2</sup>) resulting in a green energy saving : **50% of our annual energy consumption.**

### Sustainable Functions & Features

**LED Lights** : 80% less energy vs traditional light sources  
**SENSOR Lights** : consume energy only when you need light  
**CONNECTED Lights** : smart control of the lights can save up to 90%



### SOLAR Lights : 100 % green energy

Focus on development of efficient and smart Solar luminaires made with panels :  
 • Without any rare earth element  
 • Can be recycled and reused up to 4 times Last year, more than 400 000 homes were equipped with a new LUTEC Solar light.



# materials & finishes

LUTEC exterior luminaires are produced using high quality materials and finishes with excellent weather protection properties as well as mechanical strength to ensure a long lifetime.



Heavy duty die-cast Aluminum (ADC 12) with a thickness of 2mm, is in most cases the preferred material. The LUTEC in-house fully automatic powder-coating & water painting installation provides excellent protection against corrosion.

Different kind of durable synthetics, depending on the application and form factors. For the fixtures: ABS, a strong and light-weighted material, can be used under low and high outdoor temperatures. For the opal or transparent diffusers: the impact proof and very resistant PC (polycarbonate) is used. Also clear glass, tempered glass and opal or clear PMMA (plexi-glass) are common in our designs.

LUTEC benefits from an in-house tooling workshop for both aluminum and synthetic components.

## IP rating table

The LUTEC Outdoor fixture comply to the International standards concerning Ingress Protection. All articles have a minimum IP44 rate. For some specific applications (Ex. in ground recessed spots) the protection rate goes up to IP67.

	Protection against solids		Protection against liquids
0	Not Protected	0	Not Protected
1	Protected against Solid Objects greater than 50mm	1	Protected against Dripping Water
2	Protected against Solid Objects greater than 12mm	2	Protected against Dripping Water when tilted to 15°
3	Protected against Solid Objects greater than 2.5mm	3	Protected against Spraying Water
4	Protected against Solid Objects greater than 1mm	4	Protected against Splashing Water
5	Dust Protected	5	Protected against Water Jets
6	Dust Tight	6	Protected against Heavy Seas
		7	Protected against the effects of Immersion
		8	Protected against Submersion

## Color Indication

- Dark Grey
- Matt Black
- Silver Grey
- Bronze
- S/S
- Chrome
- Galvanised
- Wood Look
- White
- Matt Rust




# mounting, installation & maintenance



## Instruction Manual

LUTEC pays a lot of attention to a user friendly and effective yet simple instructions, we strive to find time saving methods of installation using uniquely designed interfaces where possible. Every LUTEC Outdoor fixture has a clear instruction manual in the unit box and this manual can also be downloaded from our website. Clear explanations in 8 European languages.



## Service network

Our service network is available on global level through our LUTEC Partners. Contact details: [www.lutec.com/services/global-network](http://www.lutec.com/services/global-network)



# LUTEC brand identity packaging

The LUTEC corporate identity has been invigorated in line with our evolving brand values. New trade support tools and POSs have been created to support our products and our customers providing an integrated selling solution, all of which adds value and distinguishes the LUTEC offer from our competitors.





# LUTEC brand identity rich content

We're constantly creating new communication materials to support and improve the presentation of LUTEC products, facilitating an easy consumer selection of one of the LUTEC products. All support materials are accessible through our refreshed website [www.lutec.com](http://www.lutec.com). Where you can find the LUTEC database with all kind of "rich content": Product photos, Lifestyle photo's, Tutorials, Inspirational video's, Flash-Intro video's, Unpacking experiences, and many more.



Recently we introduced the fully refreshed packaging, being applied to our complete portfolio. We believe the new look of the new packaging is fresh, vivid and in tune with our style of products. The product is always the hero with an inspiring photography. The refreshed LUTEC logo is visible from all sides of the packaging, together with the emblematic green banner this will further improve the brand recognition.

The LUTEC SOLAR and LUTEC SECURITY unit-box graphics are launched in the market for the newly introduced LUTEC connect Solar and LUTEC connect Camera ranges. By means of a distinctive colour indication, Orange for Solar & Red for Security, the consumers will easily recognize the difference with the standard LUTEC outdoor ranges.



## ***Index : as per ITEM NO.***

<b>NEW ITEM</b>	<b>NAME</b>	<b>PAGE</b>	<b>NEW ITEM</b>	<b>NAME</b>	<b>PAGE</b>	<b>NEW ITEM</b>	<b>NAME</b>	<b>PAGE</b>	<b>NEW ITEM</b>	<b>NAME</b>	<b>PAGE</b>
<b>5000501118</b>	DROPA	39	<b>5189113118</b>	GEMINI	139	<b>5197002125</b>	DOBLO	99	<b>5288804012</b>	FLAIR	215
<b>5010901118</b>	DROPSI	37	<b>5189114118</b>	GEMINI	135	<b>5198101118</b>	CYRA	73	<b>5288811012</b>	FLAIR	309
<b>5011602461</b>	VIDAR	151	<b>5189120118</b>	GEMINI	45	<b>5198102118</b>	CYRA	73	<b>5288814012</b>	FLAIR	215
<b>5011701461</b>	RAN	149	<b>5189125012</b>	GEMINI	135	<b>5198102118</b>	CYRA	331	<b>5288902118</b>	KIRA	91
<b>5102101118</b>	HELENA	193	<b>5189135118</b>	GEMINI	139	<b>5198302001</b>	MAYA	147	<b>5288903118</b>	KIRA	91
<b>5104001118</b>	GEMINI XF	131	<b>5191601118</b>	HELENA	195	<b>5198401001</b>	MAYA	147	<b>5288909118</b>	KIRA	43
<b>5104002012</b>	GEMINI XF	131	<b>5191602118</b>	HELENA	195	<b>5198401001</b>	MAYA	325	<b>5289001118</b>	PANO	79
<b>5104003012</b>	GEMINI BEAMS	125	<b>5191605012</b>	HELENA	195	<b>5199001118</b>	EKLIPS	71	<b>5289401469</b>	GRIDY	123
<b>5104003032</b>	GEMINI BEAMS	125	<b>5192701330</b>	LEO	153	<b>5205701118</b>	POLO	83	<b>5290903012</b>	FIA	207
<b>5104004001</b>	GEMINI XF	131	<b>5192701335</b>	LEO	153	<b>5205702118</b>	POLO	83	<b>5294502012</b>	ZAGO	205
<b>5104005118</b>	GEMINI BEAMS	125	<b>5193001118</b>	QUBO	95	<b>5205801012</b>	GOLETA	187	<b>5296602012</b>	PINE	211
<b>5104006012</b>	GEMINI BEAMS	127	<b>5193002118</b>	QUBO	95	<b>5206001118</b>	MOON	81	<b>5604011118</b>	FOCUS	167
<b>5105001125</b>	DOBLO	101	<b>5193002118</b>	QUBO	327	<b>5206501012</b>	SHIVA	203	<b>5604014118</b>	FOCUS	169
<b>5105002125</b>	DOBLO	101	<b>5193004118</b>	QUBO	41	<b>5206701012</b>	BRUND	155	<b>5604021001</b>	FOCUS	165
<b>5105003125</b>	DOBLO	103	<b>5193013118</b>	QUBO	95	<b>5207601012</b>	FULTON	115	<b>5604023012</b>	FOCUS	171
<b>5107001118</b>	CONROY	57	<b>5193201118</b>	LOTUS	121	<b>5207901012</b>	WEST	209	<b>5604023112</b>	FOCUS	171
<b>5107101118</b>	RIDGE	163	<b>5193602118</b>	ADALYN	105	<b>5264201213</b>	CATE	225	<b>5604023118</b>	FOCUS	171
<b>5107401125</b>	DOBLO	103	<b>5193801012</b>	CUBA	61	<b>5267103001</b>	LEDA	329	<b>5604101118</b>	FOCUS	167
<b>5183601118</b>	CITY	117	<b>5193801118</b>	CUBA	61	<b>5267106001</b>	ELARA	315	<b>5605013118</b>	FOCUS	175
<b>5184601118</b>	BOX CUBE	113	<b>5193803012</b>	CUBA	65	<b>5267106118</b>	ELARA	315	<b>5616302118</b>	MERIDIAN	85
<b>5188003118</b>	GHOST	87	<b>5193803118</b>	CUBA	65	<b>5273601012</b>	KELSEY	219	<b>5626001118</b>	TRUMPET	75
<b>5188601125</b>	BATI	107	<b>5193808118</b>	CUBA	61	<b>5273603012</b>	KELSEY	219	<b>5626101125</b>	TRUMPET	75
<b>5188602125</b>	BATI	107	<b>5193810118</b>	CUBA	35	<b>5273701012</b>	KELSEY	219	<b>6273601012</b>	KELSEY	221
<b>5188801118</b>	APOLLO	89	<b>5193811118</b>	CUBA	59	<b>5273702012</b>	KELSEY	219	<b>6303401118</b>	SWEEP	185
<b>5189101118</b>	GEMINI	141	<b>5193812118</b>	CUBA	311	<b>5287901012</b>	RIALTO	129	<b>6304201118</b>	FOCUS	173
<b>5189102032</b>	GEMINI	139	<b>5193814118</b>	CUBA	65	<b>5288001118</b>	MARBO	157	<b>6330401118</b>	BONN	145
<b>5189102118</b>	GEMINI	139	<b>5195401118</b>	QUBO	93	<b>5288201118</b>	HEROS	111	<b>6330402001</b>	BONN	145
<b>5189103118</b>	GEMINI	139	<b>5195404118</b>	QUBO	93	<b>5288202118</b>	HEROS	111	<b>6336201118</b>	TITAN	181
<b>5189104118</b>	GEMINI	143	<b>5196004118</b>	POLLUX	313	<b>5288801012</b>	FLAIR	213	<b>6338201118</b>	SEINE	189
<b>5189112012</b>	GEMINI	141	<b>5196301118</b>	FELE	69	<b>5288802012</b>	FLAIR	213	<b>6382201012</b>	ROLA	179
<b>5189112118</b>	GEMINI	141	<b>5196501118</b>	URBAN	119	<b>5288803012</b>	FLAIR	215	<b>6382201118</b>	ROLA	179



## ***Index : as per ITEM NO.***

<b>NEW ITEM</b>	<b>NAME</b>	<b>PAGE</b>	<b>NEW ITEM</b>	<b>NAME</b>	<b>PAGE</b>	<b>NEW ITEM</b>	<b>NAME</b>	<b>PAGE</b>	<b>NEW ITEM</b>	<b>NAME</b>	<b>PAGE</b>
<b>6383001118</b>	BULLO	177	<b>6925701345</b>	SUNSHINE	295	<b>7193805118</b>	CUBA	67	<b>7701301012</b>	ARCTIC	353
<b>6389101118</b>	GEMINI	137	<b>6933701330</b>	KOZY	257	<b>7196301118</b>	FELE	69	<b>7704216012</b>	CYDOPS	351
<b>6389102012</b>	GEMINI	137	<b>6934601118</b>	CURTIS	283	<b>7196601012</b>	PINE	211	<b>7704223012</b>	CYDOPS	351
<b>6392202457</b>	KAYAH	183	<b>6935501330</b>	TUDA	235	<b>7196603012</b>	PINE	211	<b>8500102331</b>	PEPPER	29
<b>6402101118</b>	HELENA	191	<b>6935502330</b>	TUDA	237	<b>7200501118</b>	DROPA	39	<b>8506201331</b>	NOMA	27
<b>6402105012</b>	HELENA	191	<b>6935802012</b>	KARLO	245	<b>7202201012</b>	MAINS	47	<b>8506204331</b>	NOMA	27
<b>6501702330</b>	CARDI	31	<b>6938405330</b>	GINBO	239	<b>7204803118</b>	FOCUS	173	<b>9700357000</b>	LONDON	293
<b>6588801012</b>	FLAIR	217	<b>6938602330</b>	DIVA	255	<b>7207001118</b>	CONROY	57	<b>9700359330</b>	LONDON	293
<b>6602903424</b>	MINI LETO	33	<b>6939101330</b>	TRY	265	<b>7207601012</b>	FULTON	115	<b>9701501330</b>	TORUS	343
<b>6604001118</b>	CYPRES	159	<b>6939501330</b>	FADI	243	<b>7264210213</b>	CATE	225	<b>9701601330</b>	SPHERE	341
<b>6604002118</b>	CYPRES	159	<b>6940101125</b>	DOBLO	277	<b>7264230213</b>	CATE	225	<b>9702201012</b>	MAINS	197
<b>6604003118</b>	CYPRES	161	<b>6941502330</b>	FRAN	241	<b>7273604012</b>	KELSEY	221	<b>9702202012</b>	MAINS	197
<b>6604004118</b>	CYPRES	161	<b>6943101012</b>	MOZE	263	<b>7273605012</b>	KELSEY	223	<b>9702203012</b>	MAINS	197
<b>6609201118</b>	EXPLORER	77	<b>6943701125</b>	DOBLO	279	<b>7273606012</b>	KELSEY	223	<b>9702315361</b>	REMOTE CONTROL	359
<b>6609202118</b>	EXPLORER	77	<b>6943801125</b>	DOBLO	281	<b>7288201118</b>	HEROS	111	<b>9704401361</b>	ACCESS BOX	360
<b>6901201000</b>	TILLY	291	<b>6951301189</b>	LONDON	293	<b>7288801012</b>	FLAIR	217	<b>9706201361</b>	SMART SWITH	361
<b>6901401337</b>	GHOST SOLAR	289	<b>6988802012</b>	FLAIR	287	<b>7288902118</b>	KIRA	91	<b>9759801000</b>	BATTERY PACK	364
<b>6904101331</b>	DRAGONFLY	261	<b>6988804012</b>	FLAIR	287	<b>7288906118</b>	KIRA	43	<b>9759802000</b>	BATTERY PACK	365
<b>6904101337</b>	DRAGONFLY	261	<b>6990901012</b>	FIA	285	<b>7289001118</b>	PANO	79	<b>9759803000</b>	BATTERY PACK	364
<b>6906001118</b>	MOON	275	<b>6996601012</b>	DIAS	247	<b>7290901012</b>	FIA	207	<b>9759804000</b>	BATTERY PACK	364
<b>6906702335</b>	DISO	273	<b>7104001118</b>	GEMINI XF	133	<b>7290903012</b>	FIA	207	<b>9759805000</b>	BATTERY PACK	365
<b>6906703335</b>	DISO	273	<b>7104002012</b>	GEMINI XF	133	<b>7622104330</b>	SHRIMP II	339	<b>9759806000</b>	BATTERY PACK	365
<b>6908001331</b>	TABLE CUBE	259	<b>7105701118</b>	POLO	83	<b>7622220012</b>	DRACO	317	<b>9759808000</b>	BATTERY PACK	365
<b>6908001337</b>	TABLE CUBE	259	<b>7188601125</b>	BATI	109	<b>7622221012</b>	SHRIMP	339	<b>9760002330</b>	DAWNY	363
<b>6908501308</b>	BRICK	269	<b>7193001118</b>	QUBO	97	<b>7622222012</b>	SHRIMP	339			
<b>6908701001</b>	BUBBLE	271	<b>7193003118</b>	QUBO	41	<b>7625601345</b>	SUNSHINE	333			
<b>6910601335</b>	ARROW	267	<b>7193004118</b>	QUBO	97	<b>7625701345</b>	SUNSHINE	333			
<b>6910802335</b>	POPPY	253	<b>7193801118</b>	CUBA	63	<b>7632201053</b>	ARC	337			
<b>6910901012</b>	POPS	251	<b>7193802012</b>	CUBA	67	<b>7632406053</b>	LIBRA	319			
<b>6925601345</b>	SUNSHINE	297	<b>7193802118</b>	CUBA	67	<b>7635605331</b>	ARTICA	335			
<b>6925604345</b>	SUNSHINE	295	<b>7193803118</b>	CUBA	63	<b>7700511012</b>	BERLIN	349			

## Index : as per SERIES NAME

<u>NAME</u>	<u>NEW ITEM</u>	<u>PAGE</u>	<u>NAME</u>	<u>NEW ITEM</u>	<u>PAGE</u>	<u>NAME</u>	<u>NEW ITEM</u>	<u>PAGE</u>	<u>NAME</u>	<u>NEW ITEM</u>	<u>PAGE</u>
<b>ACCESS BOX</b>	9704401361	360	<b>CONROY</b>	7207001118	57	<b>DOBLO</b>	5105001125	101	<b>FLAIR</b>	6588801012	217
<b>ADALYN</b>	5193602118	105	<b>CUBA</b>	5193810118	35	<b>DOBLO</b>	5105002125	101	<b>FLAIR</b>	5288811012	309
<b>APOLLO</b>	5188801118	89	<b>CUBA</b>	5193811118	59	<b>DOBLO</b>	5105003125	103	<b>FLAIR</b>	6988804012	287
<b>ARC</b>	7632201053	337	<b>CUBA</b>	5193801118	61	<b>DOBLO</b>	5107401125	103	<b>FLAIR</b>	6988802012	287
<b>ARCTIC</b>	7701301012	353	<b>CUBA</b>	5193808118	61	<b>DOBLO</b>	6940101125	277	<b>FOCUS</b>	5604021001	165
<b>ARROW</b>	6910601335	267	<b>CUBA</b>	5193801012	61	<b>DOBLO</b>	6943701125	279	<b>FOCUS</b>	5604011118	167
<b>ARTICA</b>	7635605331	335	<b>CUBA</b>	7193801118	63	<b>DOBLO</b>	6943801125	281	<b>FOCUS</b>	5604101118	167
<b>BATI</b>	5188601125	107	<b>CUBA</b>	7193803118	63	<b>DRACO</b>	7622220012	317	<b>FOCUS</b>	5604014118	169
<b>BATI</b>	5188602125	107	<b>CUBA</b>	5193803118	65	<b>DRAGONFLY</b>	6904101337	261	<b>FOCUS</b>	5604023118	171
<b>BATI</b>	7188601125	109	<b>CUBA</b>	5193814118	65	<b>DRAGONFLY</b>	6904101331	261	<b>FOCUS</b>	5604023012	171
<b>BATTERY PACK</b>	9759801000	364	<b>CUBA</b>	5193803012	65	<b>DROPA</b>	5000501118	39	<b>FOCUS</b>	5604023112	171
<b>BATTERY PACK</b>	9759802000	365	<b>CUBA</b>	7193802118	67	<b>DROPA</b>	7200501118	39	<b>FOCUS</b>	6304201118	173
<b>BATTERY PACK</b>	9759803000	364	<b>CUBA</b>	7193802012	67	<b>DROPSI</b>	5010901118	37	<b>FOCUS</b>	7204803118	173
<b>BATTERY PACK</b>	9759804000	364	<b>CUBA</b>	7193805118	67	<b>EKLIPS</b>	5199001118	71	<b>FOCUS</b>	5605013118	175
<b>BATTERY PACK</b>	9759805000	365	<b>CUBA</b>	5193812118	311	<b>ELARA</b>	5267106001	315	<b>FRAN</b>	6941502330	241
<b>BATTERY PACK</b>	9759806000	365	<b>CURTIS</b>	6934601118	283	<b>ELARA</b>	5267106118	315	<b>FULTON</b>	5207601012	115
<b>BATTERY PACK</b>	9759808000	365	<b>CYDOPS</b>	7704216012	351	<b>EXPLORER</b>	6609202118	77	<b>FULTON</b>	7207601012	115
<b>BERLIN</b>	7700511012	349	<b>CYDOPS</b>	7704223012	351	<b>EXPLORER</b>	6609201118	77	<b>GEMINI</b>	5189114118	135
<b>BONN</b>	6330402001	145	<b>CYPRES</b>	6604001118	159	<b>FADI</b>	6939501330	243	<b>GEMINI</b>	5189125012	135
<b>BONN</b>	6330401118	145	<b>CYPRES</b>	6604002118	159	<b>FELE</b>	5196301118	69	<b>GEMINI</b>	6389101118	137
<b>BOX CUBE</b>	5184601118	113	<b>CYPRES</b>	6604003118	161	<b>FELE</b>	7196301118	69	<b>GEMINI</b>	6389102012	137
<b>BRICK</b>	6908501308	269	<b>CYPRES</b>	6604004118	161	<b>FIA</b>	5290903012	207	<b>GEMINI</b>	5189102118	139
<b>BRUND</b>	5206701012	155	<b>CYRA</b>	5198101118	73	<b>FIA</b>	7290901012	207	<b>GEMINI</b>	5189113118	139
<b>BUBBLE</b>	6908701001	271	<b>CYRA</b>	5198102118	73	<b>FIA</b>	7290903012	207	<b>GEMINI</b>	5189102032	139
<b>BULLO</b>	6383001118	177	<b>CYRA</b>	5198102118	331	<b>FIA</b>	6990901012	285	<b>GEMINI</b>	5189103118	139
<b>CARDI</b>	6501702330	31	<b>DAWNY</b>	9760002330	363	<b>FLAIR</b>	5288801012	213	<b>GEMINI</b>	5189135118	139
<b>CATE</b>	5264201213	225	<b>DIAS</b>	6996601012	247	<b>FLAIR</b>	5288802012	213	<b>GEMINI</b>	5189101118	141
<b>CATE</b>	7264210213	225	<b>DISO</b>	6906702335	273	<b>FLAIR</b>	5288814012	215	<b>GEMINI</b>	5189112118	141
<b>CATE</b>	7264230213	225	<b>DISO</b>	6906703335	273	<b>FLAIR</b>	5288803012	215	<b>GEMINI</b>	5189112012	141
<b>CITY</b>	5183601118	117	<b>DIVA</b>	6938602330	255	<b>FLAIR</b>	5288804012	215	<b>GEMINI</b>	5189104118	143
<b>CONROY</b>	5107001118	57	<b>DOBLO</b>	5197002125	99	<b>FLAIR</b>	7288801012	217	<b>GEMINI</b>	5189120118	45

## Index : as per SERIES NAME

<u>NAME</u>	<u>NEW ITEM</u>	<u>PAGE</u>	<u>NAME</u>	<u>NEW ITEM</u>	<u>PAGE</u>	<u>NAME</u>	<u>NEW ITEM</u>	<u>PAGE</u>	<u>NAME</u>	<u>NEW ITEM</u>	<u>PAGE</u>
<b>GEMINI XF</b>	5104001118	131	<b>KELSEY</b>	7273605012	223	<b>PANO</b>	5289001118	79	<b>SHRIMP</b>	7622222012	339
<b>GEMINI XF</b>	5104002012	131	<b>KELSEY</b>	7273606012	223	<b>PANO</b>	7289001118	79	<b>SHRIMP II</b>	7622104330	339
<b>GEMINI XF</b>	5104004001	131	<b>KIRA</b>	5288909118	43	<b>PEPPER</b>	8500102331	29	<b>SMART SWITH</b>	9706201361	361
<b>GEMINI XF</b>	7104001118	133	<b>KIRA</b>	7288906118	43	<b>PINE</b>	5296602012	211	<b>SPHERE</b>	9701601330	341
<b>GEMINI XF</b>	7104002012	133	<b>KIRA</b>	5288902118	91	<b>PINE</b>	7196601012	211	<b>SUNSHINE</b>	6925701345	295
<b>GEMINI BEAMS</b>	5104005118	125	<b>KIRA</b>	5288903118	91	<b>PINE</b>	7196603012	211	<b>SUNSHINE</b>	6925604345	295
<b>GEMINI BEAMS</b>	5104003012	125	<b>KIRA</b>	7288902118	91	<b>POLLUX</b>	5196004118	313	<b>SUNSHINE</b>	7625701345	333
<b>GEMINI BEAMS</b>	5104003032	125	<b>KOZY</b>	6933701330	257	<b>POLO</b>	5205701118	83	<b>SUNSHINE</b>	7625601345	333
<b>GEMINI BEAMS</b>	5104006012	127	<b>LEDA</b>	5267103001	329	<b>POLO</b>	5205702118	83	<b>SUNSHINE</b>	6925601345	297
<b>GHOST</b>	5188003118	87	<b>LEO</b>	5192701335	153	<b>POLO</b>	7105701118	83	<b>SWEEP</b>	6303401118	185
<b>GHOST SOLAR</b>	6901401337	289	<b>LEO</b>	5192701330	153	<b>POPPY</b>	6910802335	253	<b>TABLE CUBE</b>	6908001337	259
<b>GINBO</b>	6938405330	239	<b>LIBRA</b>	7632406053	319	<b>POPS</b>	6910901012	251	<b>TABLE CUBE</b>	6908001331	259
<b>GOLETA</b>	5205801012	187	<b>LONDON</b>	6951301189	293	<b>QUBO</b>	5193004118	41	<b>TILLY</b>	6901201000	291
<b>GRIDY</b>	5289401469	123	<b>LONDON</b>	9700359330	293	<b>QUBO</b>	7193003118	41	<b>TITAN</b>	6336201118	181
<b>HELENA</b>	6402105012	191	<b>LONDON</b>	9700357000	293	<b>QUBO</b>	5195401118	93	<b>TORUS</b>	9701501330	343
<b>HELENA</b>	6402101118	191	<b>LOTUS</b>	5193201118	121	<b>QUBO</b>	5193001118	95	<b>TRUMPET</b>	5626001118	75
<b>HELENA</b>	5102101118	193	<b>MAINS</b>	7202201012	47	<b>QUBO</b>	5193002118	95	<b>TRUMPET</b>	5626101125	75
<b>HELENA</b>	5191605012	195	<b>MAINS</b>	9702201012	197	<b>QUBO</b>	7193001118	97	<b>TRY</b>	6939101330	265
<b>HELENA</b>	5191601118	195	<b>MAINS</b>	9702202012	197	<b>QUBO</b>	7193004118	97	<b>TUDA</b>	6935501330	235
<b>HELENA</b>	5191602118	195	<b>MAINS</b>	9702203012	197	<b>QUBO</b>	5193002118	327	<b>TUDA</b>	6935502330	237
<b>HEROS</b>	5288201118	111	<b>MARBO</b>	5288001118	157	<b>QUBO</b>	5193013118	95	<b>URBAN</b>	5196501118	119
<b>HEROS</b>	5288202118	111	<b>MAYA</b>	5198302001	147	<b>QUBO</b>	5195404118	93	<b>VIDAR</b>	5011602461	151
<b>HEROS</b>	7288201118	111	<b>MAYA</b>	5198401001	147	<b>RAN</b>	5011701461	149	<b>WEST</b>	5207901012	209
<b>KARLO</b>	6935802012	245	<b>MAYA</b>	5198401001	325	<b>REMOTE CONTROL</b>	9702315361	359	<b>ZAGO</b>	5294502012	205
<b>KAYAH</b>	6392202457	183	<b>MERIDIAN</b>	5616302118	85	<b>RIALTO</b>	5287901012	129			
<b>KELSEY</b>	5273701012	219	<b>MINI LETO</b>	6602903424	33	<b>RIDGE</b>	5107101118	163			
<b>KELSEY</b>	5273702012	219	<b>MOON</b>	5206001118	81	<b>ROLA</b>	6382201118	179			
<b>KELSEY</b>	5273601012	219	<b>MOON</b>	6906001118	275	<b>ROLA</b>	6382201012	179			
<b>KELSEY</b>	5273603012	219	<b>MOZE</b>	6943101012	263	<b>SEINE</b>	6338201118	189			
<b>KELSEY</b>	7273604012	221	<b>NOMA</b>	8506201331	27	<b>SHIVA</b>	5206501012	203			
<b>KELSEY</b>	6273601012	221	<b>NOMA</b>	8506204331	27	<b>SHRIMP</b>	7622221012	339			

